



SVSU

SHRI VISHWAKARMA SKILL UNIVERSITY

(Enacted Under Government of Haryana, Act No. 25 of 2016)

Transit Office:

Plot No. 147, Sector-44, Gurugram (Haryana)

Phone: 0124-2746800

Visit us at: www.svsu.ac.in

Corrigendum-1

This refers to Tender No: SVSU/2024/SDTH/001 dated 18/11/2024, regarding the Supply and Installation of Lab for Skill Department of Tourism and Hospitality (AICTE/University Norms), and Tender ID: 2024_HRY_411603_1.

With reference to the above-mentioned tender, SVSU has issued a Corrigendum to amend the tender document. The details are as follows:

On pages 1, 5, and 67 of the tender documents for the Supply and Installation of Lab for Skill Department of Tourism and Hospitality (AICTE/University Norms), there was a clerical mistake where the text mentioned the Supply and Installation of Lab for Healthcare for IX-XII (as per CBSE/SSC Requirement).

This is to be corrected as Supply and Installation of Lab for Skill Department of Tourism and Hospitality (AICTE/University Norms).

All other terms and conditions of the tender remain unchanged.

Sd/-

Asst. Registrar(P&S)
SVSU, Palwal



SHRI VISHWAKARMA SKILLUNIVERSITY

(Enacted Under Government of Haryana, Act No. 25 of 2016) Transit Office: Plot No.
147, Sector-44, Gurugram (Haryana) Phone: 0124-2746800 Visit us at www.svsu.ac.in

Tender Document

Supply and Installation of Lab for Skill Department of Tourism and Hospitality (AICTE/ University Norms)

Tender No: SVSU/2024/SDTH/001

Dated: 18/11/2024

1. Notice Inviting Tenders

Sub: Supply and Installation Lab Skill Department of tourism & Hospitality (as per University norms Requirement for SVSU main campus, Dudhola, Palwal

Shri Vishwakarma Skill University, Haryana invites online Tender: "Supply and Installation Lab Skill Department of tourism & Hospitality (as per University norms Requirement for SVSU main campus, Dudhola, Palwal through e-procurement

on portal <https://etenders.hry.nic.in> from reputed Manufacturers/Authorized Dealers/Distributors/Agents as per TENDER document. The TENDER documents may also be downloaded from website (<https://www.svsu.ac.in>) of Shri Vishwakarma Skill University, Haryana for reference only. A minimum eligibility criterion has been given in TENDER document.

Apart from uploading e-tender on website, bidder has to deposit EMD and Tender Fee + E-service fees along with other documents.

1.1. SCHEDULE

1.	Tender No	SVSU/2024/SDTH/001
2.	E-Service Fee + GST	1000/- + 180/- = 1180/- (Rupees One Thousand One Hundred Eighty Only)
3.	Tender Fee + GST	
	(1) For Haryana based manufacturing Micro and Small Enterprises (MSEs) & Khadi Village Industries Unit eligible as per the "Haryana State Public Procurement Policy for MSME -2016" notified vide G.O. No. 2/2/2016-4I BII(1) dated 20-10-2016.	NIL
	(2) For Haryana based manufacturing Startups/First Generation Entrepreneurs eligible as per State policy "Concession/benefits in Public Procurement to Startups/First Generation Entrepreneurs of State" Issued vide G.O No.2/2/2016-4I B-II dated 03.01.2019.	NIL
	(3) For remaining bidders both from the Haryana and Non Haryana	3000/- + 540/- = 3540/- (Rupees three thousand five hundred forty Only)
4.	EMD Amount	
	(1) For Haryana based manufacturing Micro and Small Enterprises (MSEs) & Khadi Village Industries Unit eligible as per the "Haryana State Public Procurement Policy for MSME	NIL

	-2016" notified vide G.O. No. 2/2/2016-4I BII(1) dated 20-10-2016.	
	(2) For Haryana based manufacturing Startups/First Generation Entrepreneurs eligible as per State policy "Concession/benefits in Public Procurement to Startups/First Generation Entrepreneurs of State" issued vide G.O No.2/2/2016-4I B-II Dated 03.01.2019.	NIL
	(3) Central or Haryana Public Sector Enterprises and "approved sources" as declared by the Industries Department, Haryana	NIL
	(4) For remaining bidders both from the Haryana and Non Haryana	Rs. 170000/- (Rupees One Lakh Seventy Thousands only)
5.	Performance Security	
	Haryana Based manufacturing Micro and Small Enterprises (MSEs)	0.2% of the Total Order Value or estimated value of the rate contract
	Haryana Based manufacturing Startups/First Generation Entrepreneurs	0.2% of the Total Order Value or estimated value of the rate contract
	Haryana based other firms/enterprises	2% of the Total Order Value or estimated value of the rate contract
	Other States/UTs based firms	5% of the Total Order Value or estimated value of the rate contract
	# Haryana based MSEs and Startups/First Generation Entrepreneurs will be eligible for performance security deposit @ 0.2% who have filed Entrepreneurs Memorandum (Micro or Small Enterprise category) in the Industries Department Haryana and who participate directly in the tendered/quoted items and offering to supply the entire quoted quantity manufactured from their own Haryana based unit.	
6.	Product Warranty Period	3 Years
7.	Issue of Tender Document (Date of uploading of Tender & other Documents) (online)	18/11/2024 at 17:00 Hrs.
8.	Online Tender Download/Purchase Start Date	18/11/2024 at 17:00 Hrs.
9.	Last date for receipt of queries through Mail	22/11/2024 Up to 17:00 Hrs.
10.	Date of pre bid meeting	25/11/2024 at 11:00AM
11.	Online proposal Submission Start Date	18/11/2024 at 17:00 Hrs.
12.	Online proposal Submission End Date	09/12/2024 Up to 15:00 Hrs.
13.	Opening of Technical Bid	12/12/2024 at 13: 00Hrs.
14.	Technical Presentation	To be informed later.
15.	Financial Bid	Subsequent date to be informed later.

16.	Validity period of Proposal	360 Days from the opening of financialbid.
17.	Address of Communication	Registrar Shri Vishwakarma Skill University, Plot 147, Sector 44, Gurugram Haryana – 122003
18.	Contact Officer Name, Phone Number and Email ID for this tender	

Note:

- Tender document can also be downloaded from University Website www.svsu.ac.in
- Amendments to TENDER, if any, would be published on e-procurement website <https://etenders.hry.nic.in> only and not in newspaper.
- The concessions/benefits to MSMEs/startup subject to fulfillment/eligible as per Haryana State Public Procurement Policy for MSME -2016 notified vide G.O. No. 2/2/2016-4I BII (1) dated20-10-2016 and turnover criteria as per Haryana Government (or as amended from time to time in this regard).
- Queries will be sent to the Officer appointed for this tender. Each Bidder will send onlyone e-mail containing the Pre-Bid Queries, as per format mentioned below. In case of more than one e-mail, only the queries provided in the first e-mail will be considered.

S. No.	Clause/Section/Reference/ Page/Paragraph	Existing clause/RFP Text	Queries/suggestions
1.			

1.2. DISCLAIMER

The information contained in this Tender document or subsequently provided to the bidders, whether verbally or in documentary or any other form by or on behalf of Shri Vishwakarma Skill University, Haryana is provided to bidder on the terms and conditions set out in this TENDER and such other terms and conditions subject to which such information is provided.

Information provided in this TENDER to the bidders is on a wide range of matters, some of which depends upon interpretation of law. The information given is not an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Shri Vishwakarma Skill University, Haryana accepts no responsibility for the accuracy or otherwise for any interpretation or opinion on the law expressed herein.

Shri Vishwakarma Skill University, Haryana also accepts no liability of any nature whether resulting from negligence or otherwise however caused arising from reliance on any bidder upon the statements contained in this TENDER.

Shri Vishwakarma Skill University, Haryana may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumption contained in this TENDER.

The issue of this TENDER does not imply that Shri Vishwakarma Skill University, Haryana is bound to select a bidder or to appoint the Selected Bidder, as the case may be, for the Consultancy and Shri Vishwakarma Skill University, Haryana reserves the rights to reject all or any of the Proposals without assigning any reasons whatsoever.

The bidder shall bear all its costs associated with or relating to the preparation and submission of its Proposal including but not limited to preparation, copying, postage, delivery fees, expenses associated with any demonstrations or presentations which may be required by Shri Vishwakarma Skill University, Haryana or any other costs incurred in connection with or relating to its Proposal. All such costs and expenses will remain with the bidder and Shri Vishwakarma Skill University, Haryana shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a bidder in preparation or submission of the Proposal, regardless of the conduct or outcome of the Selection Process.

2. Instructions to Bidders

Subject: Supply and Installation Lab Skill Department of tourism & Hospitality (as per University norms Requirement for SVSU main campus, Dudhola, Palwal Shri Vishwakarma Skill University, invites online Bids (Technical bid and Financial bid) from eligible and experienced OEM (Original Appliances Manufacturer) OR OEM Authorized Dealer/Distributors/Agent for Supply and Installation Lab Skill Department of tourism & Hospitality (as per University norms Requirement for SVSU main campus, Dudhola, Palwal with warranty period as stated at "Schedule "on site comprehensive warranty from the date of the satisfactory installation/commissioning of the Appliances as per terms & conditions specified in the tender document.

Bidders can access tender documents on the website of the University and fill them with all relevant information and submit the completed tender document with E- service Fee, Tender Fee and EMD amount online as per the schedule to <https://etenders.hry.nic.in>.

2.1. INSTRUCTIONS TO BIDDER FOR E-TENDERING

Note: Following conditions will over-rule the conditions stated in the tender documents, wherever relevant and applicable. Interested bidders can read the instructions related to e-tender system from the website www.etenders.hry.nic.in.

2.1.1. E-Tendering:

- 2.1.1.1.** For participation in e-tendering module of Shri Vishwakarma Skill University, Haryana it is mandatory for prospective bidders to get registration on website <https://etenders.hry.nic.in>. Therefore, it is advised to all prospective bidders to get registration by making on line registration fees payment at the earliest.
- 2.1.1.2.** Tender documents can be downloaded from website <https://www.svsu.ac.in>. However, the bidders have to upload complete tender document online along-with deposit of EMD amount and Tender Document Fee + E- service fee.
- 2.1.1.3.** E-service/gateway charges shall be borne by the bidders.
- 2.1.1.4.** As per the directions of the Controller of Certifying Authorities, Ministry of Communication and Information Technology, Government of India, a Class III Digital Certificate shall be required to bid for all tenders solicited electronically. If the bidder does not have such a certificate, it may be obtained from any of the registering authorities or certification authorities. Kindly note that it may take at least three-five working days for the issue of a digital certificate. Bidders are advised to plan their time accordingly. Shri Vishwakarma Skill University, Haryana shall bear no responsibility/obligation for accepting bids which are delayed due to non-issuance or delay in issuance

of such digital certificates.

- 2.1.1.5.** If bidder is bidding first time for e tendering, then it is obligatory on the part of bidder to fulfil all formalities such as registration, obtaining Digital Signature Certificate etc. well in advance.
- 2.1.1.6.** Bidders are requested to visit our e-tendering website regularly for any clarifications and/or due date extension or corrigendum.
- 2.1.1.7.** Bidder must positively complete online e-tendering procedure at <https://etenders.hry.nic.in>
- 2.1.1.8.** Shri Vishwakarma Skill University, Haryana shall not be responsible in any way for delay/difficulties/ inaccessibility of the downloading facility from the website for any reason whatsoever.
- 2.1.1.9.** For any type of clarifications, bidders/contractors can visit <https://etenders.hry.nic.in> and <https://www.svsu.ac.in>.
- 2.1.1.10.** The bidder whosoever is submitting the tender by his Digital Signature Certificate shall invariably upload the scanned copy of the followings.
 - 2.1.1.10.1.** Affidavits.
 - 2.1.1.10.2.** Authority Letter to Sign on behalf of bidder, of filed be authorized representative
 - 2.1.1.10.3.** Authority Letter for use of Digital Signature.
 - 2.1.1.10.4.** Technical Bid with all relevant enclosures.
 - 2.1.1.10.5.** The prospective bidders will upload scanned Self-attested copies of technical bid as required in e-tendering process. Unattested documents will not be entertained.
- 2.1.1.11.** The Tender document cost+ E-Service Fee and EMD amount is to be deposited online by bidder.
- 2.1.1.12.** The tenders uploaded without/incomplete/partial EMD amount and tender fee + E-service fees shall be disqualified and Proposal will not be accepted.
- 2.1.1.13.** Any change/modifications/alteration in the TENDER by the Bidder shall not be allowed and such tender shall be liable for rejection.

2.1.2. Technical bid: -

Bidders must positively complete online e-tendering procedure at <https://etenders.hry.nic.in>. They shall have to submit the documents as prescribed in the TENDER online in the website. The bidders may submit their complete bids (with all the requisite documents) in multiple files.

2.1.3. Financial bid: -

Bidder must submit the Price/Financial bid document (BOQ) as per the format given in TENDER/available online and uploaded as per instructions therein. Physical submission of price bid shall not be

considered. The financial bids of technically qualified bidders shall be opened online at the notified date.

- 2.1.4.** For amendment, if any, please visit <https://etenders.hry.nic.in>, svsu.ac.in, SVSU web site to be included regularly. In case of any bid addendum/amendment/ corrigendum/Notice/clarification, the responsibility lies with the bidders to note the same from web site. The Shri Vishwakarma Skill University, Haryana shall have no responsibility for any delay/omission on part of the bidder.



<< Organization Letter Head >>

3. TERMS and CONDITIONS

- 3.1** Due date: The tender has to be submitted online on or before the due date. No application will be received through post/e-mail/fax. The University would not be responsible for any delay.
- 3.2** Tender Fee and E-Service Fee (Non-Refundable): The Bidder should submit a non-refundable tender fee and e-service fee online. The Technical Bid without Tender fee would be considered as UNRESPONSIVE and will not be accepted. The tender fee will not be returned/refunded to any Bidder under any circumstances. If the tender is cancelled or recalled on any grounds, the Tender Document Fee and e-Service Fee will not be refunded to the bidder.
- 3.3** Preparation of Bids: The Technical and financial offer/bid should be submitted online. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate the price for the items mentioned in the technical bid. All pages of the technical bid have been signed with seal of firm by bidder/authorized signatory. Unattested documents will not be entertained.

Revision in the technical bid and financial bid quoted in the offer will not be entertained after the last date and time fixed for receipt of tenders.

- 3.4** Earnest Money Deposit (EMD) (if applicable): While submitting bid, the BIDDER shall deposit an amount mentioned in tender document as Earnest Money, with the Institute through the following instruments:
- 3.4.1** The Bidder should submit an EMD amount online. The Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted. The Earnest Money Deposit (EMD) in other form viz., Pay Order/Cheque etc. shall not be accepted.
- 3.4.2** No interest shall be payable by the BUYER to the BIDDER on Earnest Money for the period of its currency.
- 3.5** Refund of EMD: The EMD shall be returned without any interest to unsuccessful Bidders only after the award of Purchase Order. In case of successful Bidder, EMD shall be returned without any interest after the submission of Performance Bank Guarantee.

EMD shall not be refunded, if the work order/purchase order is not accepted by the successful Bidder. In case, the offer is accepted, but not honored by the successful Bidder, the EMD shall be forfeited.

The EMD shall also be forfeited, if wrong information is furnished or any vital information is concealed in the tender document. Apart from it, he shall be

Liable for any other action against him, as may be considered necessary by the Vice-Chancellor.

If the tender is cancelled or recalled on any grounds, the EMD will be returned to the bidder.

3.6 Opening of the tender:

- 3.6.1** On the due date of e-tender opening, the technical bids of bidders will be opened online. Shri Vishwakarma Skill University, Haryana reserves the right for extension of due date of opening of technical bid.
- 3.6.2** The bid will be opened by a committee duly constituted for this purpose in presence of Bidder's representative if available. Only one representative will be allowed to participate in the tender technical bid opening. The Bidder if interested may participate on the tender opening Date and Time.
- 3.6.3** Bid received without or incomplete Tender Fee or EMD will be rejected outrightly.
- 3.6.4** Tenders which do not fulfil any or all of the terms & conditions or incomplete, are liable to be rejected.
- 3.6.5** Incomplete bidding will not be accepted; in such case the bid will not be considered.
- 3.6.6** The technical bid will be opened first and it will be examined by a technical committee (as per specification and requirement).
- 3.6.7** The financial offer/bid will be opened only of those bidders who qualify on the basis of their Technical Bid and will be opened in the presence of the bidder/bidder's representatives subsequently for further evaluation. Only one representative will be allowed to participate in the financial bid opening. The date & time of opening of the Financial bids will be intimated in the due course.
- 3.6.8** The Bidder should produce authorization letter from their company to participate in the technical bid opening, Technical Presentation and Financial bid opening.
- 3.6.9** The University may call bidders for demonstration and presentation of the Appliances during technical evaluation. The cost for the demonstration will be borne by the supplier and University will not pay any TA/DA for presentation/ demonstration. If any firm fails to successfully demonstrate the system quoted by them, the Bid of that firm will not be considered.
- 3.6.10** Sample for offered items may be asked from tender during technical evaluation.
- 3.6.11** In case, due date for opening of tender happens to be a holiday, the due date shall be shifted to the next working day for which no prior intimation will be given.

3.7 Acceptance/ Rejection of bids: The Committee reserves the right to reject any bid not fulfilling the eligibility criteria.

Eligibility Criteria:

- 3.7.1** Bidder should be the manufacturer/authorized dealer/distributors/agent. Letter of Authorization from original Appliances manufacturer (OEM) specific to the tender should be enclosed (Annexure – VIII).
 - 3.7.2** An undertaking from the bidder is required stating that they would facilitate the Bidder on a regular basis with technology/product updates and extend support for the warranty as well. (Annexure-IV)
 - 3.7.3** Bidder should be registered Company, should have GST number and supporting documents to be submitted.
 - 3.7.4** Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between Bidder specification and supporting documents etc. may lead to rejection of the bid.
 - 3.7.5** Incomplete Tender such as unsigned Tender, late submitted Tender, conditional Tender, not confirming to the eligibility criteria and non-submitting Technical specification & compliance sheet with supporting documents or with any vaguer term such as 'Extra as applicable', will be considered as rejected.
 - 3.7.6** In the tender, either the bidder on behalf of the Principal/OEM or on behalf of Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.
 - 3.7.7** If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
 - 3.7.8** The Agency should not have incurred any loss for the last 3 financial years which is mandatory. Bidders should submit audited Balance Sheet, Profit and Loss statement, Turnover Sheet and Income Tax Return Acknowledgement Copy for last three financial years.
 - 3.7.9** The bidder should submit Minimum 2 satisfactory/good performance reports for the items supplied/under-taken such work in India during last 3 years along with their work order/purchase order copy duly self-attested by bidder/authorized signatory, out of which one should be from government organization.
- 3.8** Performance Security:
- 3.8.1** Performance Bank Guarantee is mandatory.
 - 3.8.2** The Successful Bidder shall require to submit the performance security/Guarantee for an amount (as stated at "Schedule" of this tender) in the form of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount which is stated at the "Schedule" of the tender document within 21 days from the date of receipt of work order/purchase order and should be kept valid for a period of 180 days beyond the date of completion of warranty period. The Performance security in other form viz., FD/Term Deposit Receipt etc. shall not be accepted.
 - 3.8.3** The Successful Bidder should submit performance security/Guarantee as prescribed above to be received in the office of procurement department.

- 3.8.4** The Performance Bank Guarantee should be established in favour of Shri Vishwakarma Skill University," through any Bank situated at Gurugram or outstation with a clause to enforced the same on their local branch at Gurugram. Performance Bank Guarantee shall be for the due and faithfully performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful Bidder and the purchaser under the terms and conditions of acceptance to tender.
- 3.8.5** If the supplier shall not submit the performance security within 21 days from the date of receipt of work order/purchase order and if there is delay in submission of performance security, purchase order may be cancelled. The competent authority may accept the performance security after the above mentioned deadline of 21 days subject to submission of justification by the Bidder, however the decision of the competent authority is final in this regard.
- 3.8.6** The successful Bidder is entirely responsible for due performance of the contract in all respects according to the speed, intent and meaning of the terms and conditions and specification and all other documents referred to in the acceptance of tender.
- 3.8.7** The performance bank guarantee shall be kept valid during the period of contract.
- 3.9** Force Majeure: The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it is delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 3.9.1** For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser in its either sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 3.9.2** If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- 3.10** Risk Purchase Clause: In event of failure of supply of the item/Appliances within the stipulated delivery schedule, the purchaser has all the right to purchase the item/Appliances from the other source on the total risk of the supplier under risk purchase clause.
- 3.11** Delivery and Documents: Delivery of the goods should be made within a maximum of 06 weeks from the date of receipt of purchase order/work order at Shri Vishwakarma Skill University, Dudhola, Palwal – 121102, Haryana or at that place to be informed by the SVSU. The material should be

packed in a strong case so as to avoid any damage, theft or pilferage in the transit. In case of any damage, theft or pilferage, the responsibility shall be that of the supplier. The supplier shall mail the following documents to the purchaser:

3.11.1 4 Copies of the Supplier invoice showing invoice number, goods description, quantity, unit price, total amount

3.11.2 Manufacturer's/Supplier's warranty certificate

3.12 Liquidated Damages (L.D)/Penalty for Non-execution of Order: If a supplier fails to execute the order in time as per the terms and conditions stipulated therein, it will be open to the purchaser to recover liquidated damages for delay in delivery from the supplier at the rate 1% (one percent) of the total cost of the material/contract per week or such other amount as the Registrar, SVSU, Dudhola, Palwal, Haryana may decide till the supply/work remains incomplete, provide that the total amount of the compensation shall not exceed 10% (ten percent) of the total cost of the material/contract.

The installation and demonstration will be completed within one month from the delivery/supply of the material, if the bidder fails to install and demonstrate the material on time then the Registrar will be competent to impose penalty @ 1% per week of the purchase order or such other amount as the Registrar, SVSU may decide till the supply/work remains incomplete, provided that the entire amount of penalty shall not exceed 10% of the total amount of Purchase order.

After the lapse of 15 days beyond the stipulated/extended period, it will be the discretion of the University to cancel the supply/work execution order at the risk and the cost of the Supplier/contractor. Besides, forfeiture of the Earnest Money/Performance Security, the Registrar, SVSU shall be at liberty to take such action as recovery of compensation to the extent of 10% of the amount of the supply/contract order, blacklisting, etc. An appeal against this penalty shall, however, lie with the Hon'ble Vice-Chancellor (VC), Shri Vishwakarma Skill University, Dudhola, Palwal, whose decision shall be final.

Note: It is mentioned that both, delivery penalty and installation penalty can also be imposed simultaneously.

If the Liquidated Damage exceeds 10% of the order value, SVSU reserves the right to terminate the contract and SVSU will get the job completed by any other competent party. The difference of cost incurred by SVSU will be recovered from the Earnest Money Deposited/Performance Security submitted by the bidder.

3.13 Prices: The price should be quoted in net per unit (after breakup) and must include all packing, forwarding, freight, insurance charges, loading, unloading, delivery charges, Excise duty/custom duty, Installation, commissioning, demonstration and training etc. may be quantified in terms of amount. The offer/bid should be exclusive of GST, which will be paid by the purchaser as applicable. However, the percentage of GST shall be clearly

indicated. Charges not mentioned in the quotation/tender shall not be paid.

- 3.14** Rate contract with GEM or DS&D (Haryana): If the bidder or their Principals are on rate contract with GEM or DS&D (Haryana), this shall be mentioned specifically in the offer and a photocopy of the same, duly attested, may be appended.
- 3.15** Resolution of Disputes: The dispute resolution mechanism would be as follows:
- 3.15.1** In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, and rules thereunder amended as on date shall apply to the arbitration proceedings. The dispute shall be referred to the Vice Chancellor, Shri Vishwakarma Skill University and he shall have full authority to appoint any person/ Authority as a sole Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.
- 3.15.2** In the case of a dispute between the purchaser and a Foreign Supplier, the dispute will be settled by arbitration in accordance with provision of sub-clause (1) above. But if this is not acceptable to the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules.
- 3.15.3** The venue of the arbitration shall be the place from where the order is issued.
- 3.16** Place of Jurisdiction: The place of jurisdiction shall be Gurugram/Palwal Haryana.
- 3.17** Right to Use Defective Goods: If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.
- 3.18** Transfer and Subletting: The supplier shall not sublet, transfer, assign or otherwise part with the acceptance to the tender or any part thereof, either directly or indirectly, without the prior written permission of the Purchaser.
- 3.19** Supplier Integrity: The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.

- 3.20** Installation & Demonstration: The supplier is required to do the installation and demonstration of the Appliances within one month of the arrival of materials at the Shri Vishwakarma Skill University, Dudhola, Palwal – 121102, Haryana or at any other place to be informed by the SVSU, site of installation, otherwise the penalty clause defined in Clause “Liquidated Damages (L.D)/Penalty for Non-execution of Order”. In case of any damage to Appliances and supplies during the carriage of supplies from the origin of Appliances to the installation site, the supplier has to replace it with new Appliances/supplies immediately at his own risk. SVSU will not be liable to any type of losses in any form.
- 3.21** Warranty:
- 3.21.1** Warranty period shall be (as stated at “Schedule “of this tender) from date of successful/satisfactory inspection report and acceptance of the Appliances/material/goods by the SVSU for each item/system on comprehensive basis.
- 3.21.2** The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site.
- 3.21.3** The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall arrange to repair or replace the defective goods or parts within 10 days free of cost in Shri Vishwakarma Skill University, Dudhola, Palwal – 121102, Haryana or at that place to be informed by the SVSU. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 10 days. If the supplier having been notified fails to remedy the defects within 10 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier’s risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract.
- 3.21.4** The comprehensive warranty will commence from the date of the satisfactory installation/commissioning of the Appliances against the defect of any manufacturing, workmanship and poor quality of the components.
- 3.22** Governing Language: The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the English language only.

- 3.23** Interfrictation Clause: The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction as mentioned at 3.16.
- 3.24** Notices:
- 3.24.1** Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, telex, FAX or e mail and confirmed in writing to the other party's address.
- 3.24.2** A notice shall be effective when it is delivered or on the effective date of the notice whichever is later.
- 3.25** Bid Currencies: Prices shall be quoted in Indian National Rupee (INR).
- 3.26** Taxes: Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, GST in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.
- 3.27** Payment: For Indigenous supplies, 100% payment shall be made by the Purchaser against successful/satisfactory delivery, inspection, installation, commissioning, demonstration, training, inspection report and acceptance of the Appliances/material/goods at Shri Vishwakarma Skill University, Dudhola, Palwal – 121102, Haryana or at any other place to be informed by the SVSU, in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bank guarantee as specified in Clause of tender terms and conditions. Payment shall be released on receipt of the valid original bills in triplicate complete in all respect.
- 3.28** User list: The List of Government Organizations/Department/PSU, List of Private Organizations and List of Performance Report for whom the Bidder has undertaken such work during last Three years must be provided. (Annexure-V).
- Note: The bidder(s) are required to submit proper proof (Purchase Order/Work Order) duly self-attested by bidder/authorized signatory in support of the claim. Without Purchase Order/Work Order, experience and performance report shall not be considered.
- 3.29** Manuals, Literature and Drawings:
- 3.29.1** Bidder shall submit the Standard Size, Space requirement and lab drawing/design layout in the Technical Bid, if required.
- 3.29.2** The detailed literature/catalogue of the quoted instrument and its accessories should also be attached with the Technical Bid. The specifications claimed by the firm should be clearly mentioned in the literature/catalogue also.
- 3.29.3** Before the goods and Appliances are taken over by the Purchaser, the Supplier shall supply operation manuals and maintenance manuals.

These shall be in such details as will enable the Purchaser to operate, maintain, adjust and repair all parts of the works as stated in the specifications.

- 3.29.4** The Bidder should provide Instruction Manuals, Safety Manuals, Training Modules, Relevant manuals, Problems with solutions, Study material for student's prospective, literature and standard Programme tutorials both hard and soft copy and also provide the display boards.
- 3.29.5** The Manuals shall be in the ruling language (English) in such form and numbers as stated in the contract.
- 3.29.6** Unless and otherwise agreed, the goods Appliances shall not be considered to be completed for the purposes of taking over until such manuals and drawing have been supplied to the Purchaser.

3.30 Application Specialist: The Bidder should mention names of Application Specialist and Service Engineers in the nearest regional office in the Technical Bid. (Ref. to Annexure-VI)

3.31 Site Preparation: The supplier shall inform to the Institute about the site preparation, if any, needed for the installation of Appliances, immediately after the receipt of the purchase order. The supplier must provide completed details regarding space and all the other infrastructural requirements needed for the Appliances, which the Institute should arrange before the arrival of the Appliances to ensure its timely installation and smooth operation thereafter.

The supplier may visit the Institute, see the site where the Appliances is to be installed and may offer his advice, and render assistance to the Institute in the preparation of the site and other pre-installation requirements.

3.32 Spare Parts: The Supplier shall be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier. Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this selection shall not relieve the Supplier of any warranty obligations under the Contract; and In the event of termination of production of the spare parts; Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts, if requested. Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares. Other spare parts and components shall be supplied as promptly as possible but in any case within six months of placement of order.

3.33 Defective Appliances: If any of the Appliances supplied by the Supplier are found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the faculty/expert committee (Committee constituted by The Registrar/Dean Academic/Dean Faculty) shall have the right to reject the Appliances or its part. The prices of such Appliances shall be refunded by the Supplier with 18% interest if



payments for such Appliances have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in Appliances, if found before installation and/or during warranty period, shall be replaced within 7 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace defective item as per above terms & conditions, SVSU may consider "Banning" the supplier and the Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/ Performance Bank Guarantee (after the contract is signed) shall stand forfeited either fully or partially, as decided by the University Competent Authority and the Authority shall not be required to assign any reason therefore.

No payment shall be made for rejected material nor would the Supplier be entitled to claim for such items. Rejected items shall be removed by the Supplier from the site within two weeks of the date of rejection at his own cost. In case items are not removed, then shall be auctioned at the risk and responsibilities of the Supplier without any further notice.

3.34 Termination for Default:

3.34.1 The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:

3.34.1.1. If the Supplier fails to deliver, any or all of the Goods within the period(s) specified in the order, or within any extension thereof granted by the Purchaser.

3.34.1.2. If the Supplier fails to perform any other obligation(s) under the Contract.

3.34.1.3. If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

3.34.2 For the purpose of this Clause:

3.34.2.1. "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.

3.34.2.2. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidder (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition.

3.34.3 In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.

- 3.35** Reservation of Rights:
- 3.35.1** The University reserved all the right to enhance or mitigate the quantity without any notice.
 - 3.35.2** The University reserves all the right to accept or reject any or all tenders without assigning any reason what so ever at any stage and no further correspondence will be entertained in this regards.
 - 3.35.3** The University reserved all the right to change any Date, Time and Condition of Tendering without assigning any reason.
 - 3.35.4** The acceptance or rejection of the technical bid/tender shall be the sole decision of the University.
 - 3.35.5** The University shall not bound to accept any Proposal, and reserves the right to annul the selection process at any time prior to award of Contract without thereby incurring any liability to the Consultant.
 - 3.35.6** The University reserved all the right to call/demand any document from the bidder as and when required or to reject the bid.
- 3.36** Training of Personnel: The supplier shall be required to undertake to provide the technical training to the personnel involved in the use of the Appliances at the Institute premises, immediately after completing the installation of the Appliances as per Annexure-IX
- 3.37** Technical compliance: The technical compliance report must be provided to indicating conformity to the technical specifications and agree to comply with the requirements and intent of specification. (Annexure-II)
- 3.38** Evaluation of Offer:
- 3.38.1** L1 will be decided on the basis of the policy guidelines issued by Government of Haryana vide G.O. No. 2/2/2010-4I-BIII of dated 19/12/2011 (or as amended from time to time in this regard).
 - 3.38.2** If in the event of a tie in L1 in the Financial bid, the university will negotiate with all the eligible bidders and the bidder whose quotes are lower than other bidders will be declared as L1.
 - 3.38.3** Offer which deviates from the vital conditions (as illustrated below) of the tender shall be rejected:
 - 3.38.3.1.** Non-submission of complete offers.
 - 3.38.3.2.** Receipt of offers after due date and time and/or by post/email / fax (unless specified otherwise).
- 3.39** Negotiation of Rates: Regarding negotiations of rates, policy issued by the State Government vide G.O. No.2/2/2010-4-IB-II dated 18.06.2013, G.O. No.2/2/2010-4-IB-II dated 16.06.2014, G.O. No.2/2/2010-4-IB-II dated 09.02.2015 will be applicable. The policy guidelines are available at <https://haryanaeprocurement.gov.in> on home page under section as TenderForms."
- 3.40** Sanctions for Violations: Any breach of the aforesaid terms & Conditions and Technical Specification, requirements & conditions by the bidder or any one employed by it or acting on its behalf (whether with or without the

knowledge of the bidder) shall entitle the buyer to take all or any one of the following actions, wherever required:

- 3.40.1** To immediately, call the pre-contract negotiations with other bidders without assigning any reason or giving any compensation to the bidder. However, the proceedings with the other bidder(s) would continue.
 - 3.40.2** The Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bank Guarantee (after the contract is signed) shall stand forfeited either fully or partially, as decided by the buyer and the buyer shall not be required to assign any reason therefore.
 - 3.40.3** To immediately, cancel the contract, if already signed without giving any compensation to the bidder.
 - 3.40.4** To recover all sums already paid by the buyer, and in case of an Indian bidder with interest thereon at 2% higher than the prevailing Prime Lending Rate of State Bank of India, while in case of a bidder from a country other than India with interest thereon at 2% higher than the LIBOR. If any outstanding payment is due to the bidder from the buyer in connection with any other contract for any other stores, such outstanding payment could also be utilized to recover the aforesaid sum and interest.
 - 3.40.5** To encash the advance bank guarantee and performance guarantee/warranty bond, if furnished by the bidder, in order to recover the payments, already made by the buyer, along with interest.
 - 3.40.6** To cancel all or any other contracts with the bidder. The bidder shall be liable to pay compensation for any loss or damage to the buyer resulting from such cancellation/rescission and the buyer shall be entitled to deduct the amount so payable from the money(s) due to the bidder.
 - 3.40.7** To debar the bidder from participating in future bidding processes of the University for a minimum period of two years, which may be further extended at the discretion of the buyer.
 - 3.40.8** Forfeiture of Performance Bank Guarantee in case of a decision by the buyer to forfeit the same without assigning any reason for imposing sanction for violation.
 - 3.40.9** Legal action may be initiated against such Bidder in case any of the information submitted by the Bidder is found to be false at any stage of the contract.
- 3.41** BID SIGNING: The Tender must be signed by authorized signatory of the bidding firm/company on each page of the bid, along with seal of the firm/company.
- 3.42** Conditional Bid: Conditional Bid is not acceptable. Hence, the supplier is advised neither to alter the specification nor to mention anything on the Tender form, except cost, signature with seal, otherwise his Tender shall not be considered. Conditional tenders shall not be entertained at all and shall be liable to be rejected summarily.



There should not be any alterations in the bidding documents. In case any alteration is found at any stage, the tender shall be liable for rejection summarily without further appeal.

- 3.43** Delivery Period and Installation Period Extension: The supply order(s) shall be executed within the time specified in this regard. However, in case of Force Majeure / reasons beyond control of the supplier/ explaining circumstances due to which delivery period could not be adhere to, he may make a written request to the Registrar, SVSU for grant of extension for delivery period and/or installation period. The written request in this regard should clearly spelling out such reasons.

If Registrar, SVSU, is satisfied of such reasons and further that the requested extension is not be detrimental to the interests of the university, may grant extension for a reasonable period for delivery and installation of the goods. The supplier shall be required to indemnify the University against any loss on account of downfall of the price during the extended period.

- 3.44** Contacting to SVSU Officers: Bidder shall not approach SVSU officers beyond office hours and/or outside SVSU office premises from the time of the Bid opening to the time of finalization of successful bidder. Any effort by bidder to influence SVSU office in the decision on Bid evaluation, bid comparison or finalization may result in rejection of the Bidder's offer. If the bidder wishes to bring any additional information to the notice of SVSU, it should be in writing.

- 3.45** Forfeiture of EMD/ BG/Performance Security: EMD/ BG/Performance Security made by bidder may be forfeited under the following conditions:

- 3.45.1** During the evaluation process, if a bidder indulges in any such activity as would jeopardize the process, the decision of SVSU regarding forfeiture of EMD shall be final and shall not be called upon question under any circumstances.
- 3.45.2** If bidder violates any of the provisions of the terms and conditions of the proposal.
- 3.45.3** In case supplier fails to fulfil the all terms & conditions and Technical Specification, requirements & conditions, SVSU may consider "Banning" the supplier and the Earnest Money Deposit (in pre-contract stage) and/or Security Deposit/Performance Bank Guarantee (after the contract is signed) shall stand forfeited either fully or partially, as decided by the SVSU and the SVSU shall not be required to assign any reason therefore.
- 3.45.4** In the case of a successful bidder, if bidder fails to:
- 3.45.4.1.** Accept the work order along with the terms and conditions.
- 3.45.4.2.** Furnish performance security.
- 3.45.4.3.** Violates any of the work conditions of this proposal or indulges in any such activities as would jeopardize the work.
- 3.45.4.4.** Submitting false/misleading information/ declaration/ documents/ proof/etc.

3.45.5 The decision of Competent Authority SVSU regarding forfeiture of EMD/ BG shall be final and shall not be called upon to question under any circumstances, besides, forfeiture of EMD/ BG even the bidder will be deferred from participating in any job for a period of two years.

3.46 Amendment of Tender Document: At any time before the deadline for submission of tender, SVSU may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective firm, modify the Tender Document by amending, modifying and/or supplementing the same. All prospective firms shall be notified of any amendments on e-tender website and/or SVSU web site and all such amendments shall be binding on them without any further act or deed on SVSU's part. The prospective firms are advised to periodically browse e- tender website and/or University website www.svsu.ac.in to find out any further addendum/amendment/corrigendum/Notice/clarification published with respect to this tender. In case of any bid addendum/amendment/corrigendum/Notice/clarification, the responsibility lies with the bidders to note the same from web site. The Shri Vishwakarma Skill University, Haryana shall have no responsibility for any delay/omission on part of the bidder. In the event of any amendment, SVSU reserves the right to extend the deadline for the submission of the bids, in order to allow prospective Bidders reasonable time in which to take the amendment into account while preparing their bids.

3.47 Model Clause for Land Border Sharing Countries with India: As per the Order of Ministry of Finance, Department of Expenditure, Public Procurement Division. F.No. 6-18-2019-PPD Date 23/07/2020, any bidder from such Countries sharing a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority, Specified in Model Clause and Certificate Annexure –XVI.

The Competent Authority for the purpose of Registration under this order shall be the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT).

Bidders can read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India as per the Order of Ministry of Finance, Department of Expenditure, Public Procurement Division. F.No. 6-18-2019-PPD Date 23/07/2020.

A certificate for the same shall be submitted by the bidder as Specified in Model Clause and Certificate Annexure –XVI.

3.48 Special Terms and Conditions:

- 3.48.1** The offer without complete or partial prescribed earnest Money, Tender Fee & E-Service fee, shall be liable to be summarily rejected.
- 3.48.2** The deficiency in the documents and tender requirement can be made subject to the decision made by Procurement Department/all the Tender Committees individually has a right to call/demand any document from the bidder as and when required or to reject the bid. Procurement Department/all the Tender Committees individually are empowered to take any action/decision /requirement of documents at any stage.
- 3.48.3** Any company/firm/dealer/manufacturer black listed by Central/State Government/Autonomous Organization are not entitled to submit the tender. If it is submitted, it shall be rejected and Earnest Money Deposit/Performance Security shall be seized and legal action shall be taken against them.
- 3.48.4** The firm/agency/bidder shall not be black-listed/de-listed/debarred/demobilized for poor or unsatisfactory performance from any project by Govt. of India/Any other State Govt./Haryana Govt. or its Departments/Agencies etc. for which he has to submit the affidavit.
- 3.48.5** Bidder shall abide to all terms and conditions and Technical Specification stipulated in tender document and supply and installation & commissioning of Machine/Lab Appliances etc. in running condition within stipulated time frame for which he has to submit the affidavit.
- 3.48.6** Bidder shall submit affidavit for Authenticity and Correctness of information/documents stipulated in tender document.
- 3.48.7** Bidder shall submit the Affidavit and relevant certificate/document regarding seeking benefits/ concessions by Haryana based manufacturing Micro, Small and Medium Enterprises(MSEs) and Startups/First Generation Entrepreneurs (If Applicable)
- 3.48.8** The foreign manufacturer or their Indian representative shall ensure a proper service after sale as per requirement from time to time, against the guarantee/warranty clause as per the terms and conditions agreed. Any negligence on this account shall be the sole responsibility of foreign bidder and liability for compensation shall be fixed up by the Department.
- 3.48.9** Reference, information and certificates from the respective clients certifying technical and execution capability shall be signed and the contact numbers of all such clients shall be mentioned. The University may also independently seek information regarding the performance from the clients and visit referred customers' consortium partner in India/Abroad at bidder's cost.
- 3.48.10** In case any BIDDER is silent on any clauses mentioned in this tender document, the Institute shall construe that the BIDDER had accepted the clauses as per the invitation to tender.
- 3.48.11** The concessions/benefits to MSMEs/startup subject to fulfillment/eligible as per Haryana State Public Procurement Policy for MSME -2016 notified vide G.O. No. 2/2/2016-4I BII (1) dated 20-



10-2016 and turnover criteria as per Haryana Government (or as amended from time to time in this regard).

3.48.12 All the terms and conditions and Technical specifications contained in the Tender document shall be the part of this agreement.

3.48.13 Supplier should supply all the Appliances mentioned in the tender document on turnkey/Partial basis. Incomplete or partial bidding shall not be accepted; in such case, the bid will not be considered. Supplier shall supply all the Appliances mentioned in the tender document.

<< Organization Letter Head >>

4. Technical Specification and Compliance Sheet

Tender Criterion: The purpose of buying the Appliances is for official uses. Hence, the Appliances availability & reliability should be in high order. To ensure flawless service back up and 100% Appliances availability.

1. The Bidder should have Experience in installation, Service of appliances in Indian Environment.
2. OEM should have service branch in the nearest possible locations to the University; and the OEM should also have spares etc. stored in India
3. The Bidder should be able to provide service/support for hardware components (spares, accessories and consumables).
4. The bidder should provide free updates for the software installed time to time, if required.
5. The Bidder should provide Instruction Manuals, Operation Manuals, Safety Manuals, Training Modules, Relevant manuals etc., as applicable.
6. Bidder should provide full warranty/Guarantee of the items for at least for Three Years.
7. All accessories (Connecting pipes/tubes/ electrical cables, etc.) will be supplied by the vendor for each unit for smooth functioning of the items.
8. The offered Model of OEM must be working in India, without any Problems.
9. The warranty period shall be (as stated at "Schedule "of this tender) from date of successful/satisfactory inspection report and acceptance of the Appliances/material/goods by the SVSU for each item/system on comprehensive basis.
10. Bidder should supply all the Appliances mentioned in the tender document on turnkey/Partial basis. Incomplete or partial bidding will not be accepted; in such case the bid will not be considered. Supplier should supply all the Appliances mentioned in the tender document.

Scope of work:

Specification and Requirements: -

Supply and Installation of Hotel Management Labs.			
Sr. No.	Equipment Name	Specification/Make	Qty.
1	INSECT-O-CUTORS	• Unit suitable for ceiling suspension or mounting on ceiling, • Lamps: 3 x 15 watt • Fiber Body • Sleek Design • Dual Glue pads • Downward focus	1
2	PLANETRY DOUGH MIXER	• 10 electronically variable speeds and a fully integrated timer • The SM-60L mixer is an extremely strong machine with a 3.0Kw motor. • Has rubber feet to secure the machine on any surface • It has a double safety guard fitted and the safety guard slides out of the way for easy access to the bowl • A bowl trolley is also included as a standard feature. • Is supplied with one stainless steel bowl and beater, whisk and hook. Capacity (60 Ltr)	1
3	ATTACHEMENT HOLDING RACK	Size in MM Width- 750 Depth- 225 Height- 100 Made of heavy duty steel makes the storage rack more sturdy and hold more heavy bars. Equipped with four non-slip rubber foot covers to make the cable attachment storage rack more stable and can protect your floor.	1
4	KNIFE SHARPNER	• Table top model. • Pressure sensitive motor shut-down. • Two grinding wheels (fine/coarse), one stropping wheel • Grinds at 18-22° angles • Magnetized drawer under grinding wheels captures metal shavings	1
5	KNIFE STERILIZING CABINET	• Unit suitable for wall mounting, • Perfect Disinfection Through UV Rays • Casing And Holder For 30 Knives Made Of Stainless Steel • Timer Up To 120 Minutes	1
6	TABLE TOP WEIGHING SCALE	• Counter top electronic digital scale. • S.S pan size 240 mm x 300 mm. • Unit suitable to weigh up to 30 KGs increments of 5 Gms. • Rechargeable battery backup. • Display Size : 20mm Red & 20mm Green • Display Type : 6 digit LED, 7 Segment Number digits	1

		• Operating Temperature : 10oC to 40oC • Humidity : 95% RH (Non Condensing) • Tare Range : To Capacity by Subtraction • Stabilization Time : 2.5 Sec • With In built Battery Charger. • With 4 Number of key • Auto power of function • Stainless Steel platter of Mart Finishing • With Advanced Microprocessor based design • Fast Weighing response	
7	U/C ICE CUBE MACHINE	• Upto 50 K.G. daily ice productions. • Aircooled. • S.S304 Exterior and Interior body Construction. • Unit should be able to work in ambient temperature of 4o C to 43o C. • Bullet Shape of Ice Cube. • With Adjustable Legs. • Unit with automatic cleaning system. • Removable water distribution tube with no tools. • 25 K.G bin Capacity. • With cove corners. • Patented cleaning and with antimicrobial.	1
8	GARBAGE CAN	• Polyethylene Construction. • Heavy-duty containers With rust, dent, chip or peel free. • Built-in handles allow for non-slip lifting and avoid jamming when the containers are stacked or nested. • Double-ribbed base for increased stability and dragging capacity. • Tight fitting overlapping lid. • 80 Liter Containers Equipped. Unit should be suitable for work. • Reinforced rims. • Dolly with swivel casters ensures stable and easy transport of heavy loads. • Bin color code as per FSSAI.	1
9	TABLE TOP PLANETRY MIXER	• Table top equipment • Tilt up head • Adjustable speed at ten different levels • Single phase motor. 230v. 50 Hz. • 5.0 Liter bowl, Stainless steel beater, Plastic laminated kneading hook, Plastic laminated beater, Power cord with plug. - Capacity-5Ltr	1
10	BREAD SLICER	Max bread length: 380 mm Production capacity : 200-300pcs/h Slicing thickness : 12 MM thickness 1 mm platform stainless steel	1

11	MOBILE INGREDIENT BIN	• # 22 Ga. Welded body constructions. All corners coved 20mm radius. • #22 Ga. S.S. Half open able centre hinged lid with integral Handle. • S.S. hat type channel Base. • Four (4) No. 102mm High castor two with brakes. • Rubber corner bumper on all four sides.	1
12	MARBLE TOP WORK TABLE WITH 2U/S	• Marble Top. • No Rear splash, Back Splash • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work, without paint. • 25mm x 25mm x 1.6mm thick S.S. pipe cross bracing at rear & both sides • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet.	1
13	WORK TABLE	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • No any S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated.	1
14	FOUR DOOR VERTICAL REFER	• IP65 digital control panel allows for temperature and parameter setting as well as to activate defrosting when necessary. • Equipped with air conveyors to allow cabinet installation even up to 2100 mm of distance from ceiling. • The digital control features service and HACCP alarms. • Refrigerator models have operating temperatures that can be adjusted from -2 to 10 °C to suit both meat and dairy storage requirements. • Performance guaranteed at ambient temperatures of +43°C. • Forced air circulation for rapid cooling and temperature distribution. • Large storage area suitable to contain 2/1 GN grids or shelves on anti-tilt runners. • Lockable door with closure latch. • Automatic evaporation of defrost water. • High density polyurethane insulation, 60 mm thickness • Refrigerant type: R404a. • Built-in compressor to suit operating conditions. • Stainless steel AISI 304 internal and external	1
15	FOUR DOOR VERTICAL FREEZER	• IP65 digital control panel allows for temperature and parameter setting as well as to activate defrosting when necessary. • Equipped with air conveyors to allow cabinet installation even up to 2100 mm of distance from ceiling. • The digital control features service and HACCP alarms. • Freezer model has operating temperatures that can be adjusted from -22 to -15 °C. • Forced air circulation for rapid cooling and temperature distribution. • Large storage area suitable to contain 2/1 GN grids or shelves on anti-tilt runners. • Lockable door with closure latch. • Automatic evaporation of defrost water. • Electronic protection against high voltage peaks.	1

		• Coated evaporator to avoid corrosion • High density polyurethane insulation, 60 mm thickness • Refrigerant type: R404a. • Built-in compressor to suit operating conditions. • Stainless steel AISI 304 internal and external	
16	MARBLE TOP THREE DOOR UNDER COUNTER REFER	• Unique airflow design to allow installation against the wall or against other appliances, even on the cooling unit side to maximize the use of kitchen space. • Refrigerated compartment designed to accommodate GN 1/1 containers. • Door frame heater, activated according to external temperature, avoids condensation build-up around the door frame. • Adjustable temperature range from -2 °C to +10 °C to suit meat. • Forced air circulation for rapid cooling and an even temperature distribution. • Completely automatic defrosting and automatic evaporation of defrost water by hot gas. • Recessed area in the back to facilitate installation. • Electronic protection against high voltage peaks. • Removable magnetic gasket door with hygienic design. • Constructed from the highest quality AISI 304 Stainless steel. • Built-in compressor to suit operating conditions. • High density polyurethane insulation, 60 mm thickness. • Mounted on 150 mm adjustable feet. • Rounded internal corners for ease of cleaning. • Access to all components from the front. • Housing on Right Side.	1
17	WALL SHELF	• # 20 GA. S.S. Wall Mounted shelf. • Front & both side turned up 75mm, returned 40mm & in 12mm, Rear sides turned up 75mm & hemmed. • (2) No. 16 Ga. S.S. wall Brackets angular shape. Secured to top with acorn Nuts & Bolts & Bracket secured to wall with anchor fasteners. • 12mm dia Bleeder tube at Right side. • Mounting Height- 1700mm A.F.F. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated	1
18	S.S. STORAGE SHELVING	• Five # 22 GA. S.S. Shelves. • All sides marine edges. • S.S. hat type reinforcement. • 38mm x 38mm x # 18 Ga. S. S. square pipe uprights. with s.s. adjustable bullet feet • S.S. shelves welded to S.S. square pipe uprights. ACCESSORIES: All Sheet /Pipe S.S. 202 Grade Pre-polished Plastic Coated.	1
19	PLAT FORM WEIGHING SCALE	• Freestanding electronic digital scale. • S.S Weighing platform of size approx. 600 mm w X 600 mm. • Unit suitable to weigh up to 300 KGs • Digital pillar mounted display • Rechargeable battery backup.	1

		• Bottom structure is metal powder coated rust free • Stainless steel 202 platter. • With Advanced microprocessor based design. • Fast weighing response time • Long battery back up • Auto power off • Simple & easy operation with feather touch keys • Large and Bright LED Red/Green display	
20	2 DECK-BAKING OVEN	• Free standing unit With Under Base Cabinet • S.S. exterior. • 200 mm hearth clearance. • One hearth with refractory base • Build-in-electric-heated steam generator for each deck • Each Oven to be operated through standard program me control system. • Illumination lights for each deck. • Heatproof observation glass windows in S.S. frame. • Each deck to be provided with timers. • With castors and break on all four. • One deck should have MS plate in base & another deck should have silicon stone base	1
21	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 1415 mm Depth-750 Mm Height-865+150	1
22	PROOVER	• Capacity (number of trays) 18 • Tray size 400 x 600 mm • Number of shelves 18 • External dimension (L x W x H) 755 x 700 x 2155 mm • Door Single door • Compressor power 1.125 HP • Heater power 2.3 kW • Control mode Digital control panel • Temperature range 2 to 40°C • Outside stainless steel panel with 50mm PU insulation	1
23	TRAY COOLING RACK	• # 20 Ga. S.S. base channel shape. • Unit secured to 38mm x 38mm x 3mm thick M.S. welded angle frame work. • # 18 Ga. S. S. stands as per standard drg. • Seven (7) Pairs 12mm dia S.S. pipe rod for Tray supporting welded to	1

		Centre stand. 200mm c/c at both sides. • Four (4) no. 150mm Dia Non marking rubberized castors two with brakes. • Rubber corner Bumper On all four sides. Width- 600 mm Depth-1050 Height-1800	
24	GARBAGE CAN	• Polyethylene Construction. • Heavy-duty containers With rust, dent, chip or peel free. • Built-in handles allow for non-slip lifting and avoid. jamming when the containers are stacked or nested. • Double-ribbed base for increased stability and dragging capacity. • Tight fitting overlapping lid. • 80 Liter Containers Equipped. Unit should be suitable for work. • Reinforced rims. • Dolly with swivel casters ensures stable and easy transport of heavy loads. • Bin color code as per FSSAI.	1
25	THREE SINK UNIT	• #16 Ga. S.S. Top • Front sides turned up 75mm, returned 40mm, turned down 50mm & in 12mm. • 250mm High Rear Splash, Back splash to be covered with 22 G.A. S.S. sheet. • Top secured 25mmx 100mm x 25mm # 14 Ga. S.S. Channel frame work. • Center of unit Three (3) mo. 550mm x 550mm x 300mm deep # 16 Ga. S.S. sink, Sink Complete with 50mm dia. lever. Handle operated waste outlet & rear connected overflow. • (6) no. 38mm Dia S.S. legs. With S.S. adjustable bullet feet. • 25mm Dia S.S. pipe cross bracing welded to legs at Front & both sides. • # 22 G.A S.S Apron front of unit. • Three (3) no. Wall Mounted Swivel type water Mixer faucet. Width- 1800mm Depth-750 MM Height-800+150MM	1
26	SS. PIPE SHELF	• Four (4) no. 25mm dia S.S. pipe welded construction. • 75mm high splash/railing at rear & both sides. S.S. pipe shelf welded to S.S. brackets. No. 18 Ga. S.S. wall Brackets. • Secured to top with acorn Nuts & Bolts & Bracket secured to wall with anchor fasteners. Mounting Height- 1700mm A.F.F. Width- 1800mm Depth-375 MM Height-250MM	1
27	WATER COOLER (CAP. 120 LTR)	• Full S.S Construction, AISI 304 SS exterior and interior, • Freestanding & SS legs. • Provided with Two (2) no. of faucet, • Capacity 120 ltrs, cooling capacity to be approx.120 lts per hr, 700 glasses per hour. • Refrigerant gas R-22 to be used & S S drip pan.	1

		• S.S drip pan.	
28	MOBILE CLEANDISH RACK	• Five NO. # 20 Ga. S.S. Shelves. • All sides marine edges. • S.S. hat type reinforcement. • 38mm x 38mm x # 16 Ga. S. S. square pipe uprights on Non marking rubberized castors with brakes • S.S. shelves welded to S.S. square pipe uprights. Width- 1200 mm Depth-500 MM Height-1900MM	1
29	GARBAGE CAN	• Polyethylene Construction. • Heavy-duty containers With rust, dent, chip or peel free. • Built-in handles allow for non-slip lifting and avoid. jamming when the containers are stacked or nested. • Double-ribbed base for increased stability and dragging capacity. • Tight fitting overlapping lid. • 80 Liter Containers Equipped. Unit should be suitable for work. • Reinforced rims. • Dolly with swivel casters ensures stable and easy transport of heavy loads. • Bin color code as per FSSAI.	1
30	LOCKERS	Usage/Application :Industrial No Of Lockers :6 Lockers Material :Mild steel Finish :Powder Coating Surface Electrostatic : Powder Coating Width- 100 mm Depth-525MM Height-1900MM	4
31	INSECT-O- CUTORS	• Unit suitable for ceiling suspension or mounting on ceiling, • Lamps: 3 x 15 watt • Fiber Body • Sleek Design • Dual Glue pads • Downward focus	1
32	GARBAGE CAN	• Polyethylene Construction. • Heavy-duty containers With rust, dent, chip or peel free. • Built-in handles allow for non-slip lifting and avoid. jamming when the containers are stacked or nested. • Double-ribbed base for increased stability and dragging capacity. • Tight fitting overlapping lid. • 80 Liter Containers Equipped. Unit should be suitable for work. • Reinforced rims. • Dolly with swivel casters ensures stable and easy transport of heavy loads. • Bin color code as per FSSAI.	1

33	THREE DOOR UNDER COUNTER REFER	• Unique airflow design to allow installation against the wall or against other appliances, even on the cooling unit side to maximize the use of kitchen space. • Refrigerated compartment designed to accommodate GN 1/1 containers. • Door frame heater, activated according to external temperature, avoids condensation build-up around the door frame. • Adjustable temperature range from -2 °C to +10 °C to suit meat. • Forced air circulation for rapid cooling and an even temperature distribution. • Completely automatic defrosting and automatic evaporation of defrost water by hot gas. • Recessed area in the back to facilitate installation. • Electronic protection against high voltage peaks. • Removable magnetic gasket door with hygienic design. • Constructed from the highest quality AISI 304 Stainless steel. • Built-in compressor to suit operating conditions. • High density polyurethane insulation, 60 mm thickness. • Mounted on 150 mm adjustable feet. • Rounded internal corners for ease of cleaning. • Access to all components from the front. • Housing on Right Side.	1
34	WORK TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 1540 mm Depth-700 MM Height-865+150MM	1
35	SANDWICH GRILLER	• Electrical operated. • Cast iron plates for even cooking • Self balanced upper plate allows you to adapt the cooking to the food • 2 heating elements • Temperature upto 300C	1
36	MICROWAVE OVEN	• Counter Top. • Digital display. • Programmable. • See through door. • Pull handle door opening. • 1100 Watts of power for fast heating. • 34 litre capacity z 5 power levels • User-friendly controls • 100 Programmable settings • Durable stainless steel exterior and interior	1

		Capacity-20 Ltr	
37	SALAMANDER	Constructed in AISI 304 stainless steel. Table top model can be hanged on the wall with wall brackets (optional). Open on 3 sides. Incoloy heating elements placed in the upper deck, and can be tilted for easy cleaning. Upper desk is movable, sliding up and down along runners. 2 independent cooking areas managed by 2 separate energy regulator. Air vents along the upper side for evacuating heat and smoke. Extractable drip trays and chromium-plated steel grids for easy cleaning.	1
38	FOUR DOOR VERTICAL FREEZER	• IP65 digital control panel allows for temperature and parameter setting as well as to activate defrosting when necessary. • Equipped with air conveyors to allow cabinet installation even up to 2100 mm of distance from ceiling. • The digital control features service and HACCP alarms. • Freezer model has operating temperatures that can be adjusted from -22 to -15 °C. • Forced air circulation for rapid cooling and temperature distribution. • Large storage area suitable to contain 2/1 GN grids or shelves on anti-tilt runners. • Lockable door with closure latch. • Automatic evaporation of defrost water. • Electronic protection against high voltage peaks. • Coated evaporator to avoid corrosion • High density polyurethane insulation, 60 mm thickness • Refrigerant type: R404a. • Built-in compressor to suit operating conditions. • Stainless steel AISI 304 internal and external	1
39	FOUR DOOR VERTICAL REFER	• IP65 digital control panel allows for temperature and parameter setting as well as to activate defrosting when necessary. • Equipped with air conveyors to allow cabinet installation even up to 2100 mm of distance from ceiling. • The digital control features service and HACCP alarms. • Refrigerator models have operating temperatures that can be adjusted from -2 to 10 °C to suit both meat and dairy storage requirements. • Performance guaranteed at ambient temperatures of +43°C. • Forced air circulation for rapid cooling and temperature distribution. • Large storage area suitable to contain 2/1 GN grids or shelves on anti-tilt runners. • Lockable door with closure latch. • Automatic evaporation of defrost water. • High density polyurethane insulation, 60 mm thickness • Refrigerant type: R404a. • Built-in compressor to suit operating conditions. • Stainless steel AISI 304 internal and external	1

40	(2+ 1) CHINESE BURNER RANGE	• #16 G.A. S.S.304 Top, Front to rear sloped. • 450mm High Rear splash . • 3 No. of 500mm dia. Grates & 2 No. of 225mm dia. Grates. • 75mm gutter sloped as shown. • Top secured to 38mm x 38mm x 3mm welded M.S. frame work. • All side Cladded w/ #22 Ga. S.S. sheets. • 25mm x 25mm S.S. square pipe cross bracing welded to legs on all sides. • 2 no. Wall Mounted Swivel type water Mixer faucet. • 4 No. 38mm Dia. S.S. legs with S.S adjustable bullet feet. • 100mm setback Body/legs for Gas pipe routing. Width- 1350 mm Depth-750 MM Height-800+450MM	1
41	DEEP FAT FRYER (TWIN BASKET TABLE TOP)	• Electrically operated equipment. • AISI 306 Constructions. • Tank dimensions: 600(W) x 450(D)mm • Number of tanks: 2, Number of baskets: 2 • Unit with 2 number of frying well tanks. • Accurate thermostatic control up to 190°C for consistent results and safe operation Width- 600 mm Depth-750 MM	1
42	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick .S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 650 mm Depth-750 MM Height-865+150MM	1
43	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 1100 mm Depth-750 MM Height-865+150MM	1



44	FOUR BURNER RANGE WITH PIPE U/S	• #16 Ga. S.S. Top. 150mm High Rear side Splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • Top and body secured to 12/25mm x 75mm x 25/12mm # 1.6 mm Thick S.S. hat type welded • Channel frame work. Flame failure device. Piezo Ignition • Exterior # 18 Ga. S.S. cladding. • 4 No. 350 x 350mm Cast Iron removable grates. • H.P burner rated @70,000 B.T.U's/Hr. at front of two & Rear 40,000 RTVS burner w/pilot lamp at front. • 38mm x 38mm x 16 Ga. S.S. Square pipe legs with S.S. adjustable bullet feet. • 25mm x 25mm S.S. square pipe Under shelf. • Front #18 Ga. S.S. & Rear Side #20 G.a S.S. Cladding w/Rear Side ½" Dia. Hole for Air Circulation. • Two (2) Nos. #22 Ga. S.S. Slide out Drip tray With S.S. Handle. • 100mm setback Body/legs for Gas pipe routing. Width- 600 mm Depth-600MM Height-865MM	8
45	WORK TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 900 mm Depth-600MM Height-865MM	1
46	S.S. STORAGE SHELVING	• Five # 22 GA. S.S. Shelves. • All sides marine edges. • S.S. hat type reinforcement. • 38mm x 38mm x # 18 Ga. S. S. square pipe uprights. with s.s. adjustable bullet feet • S.S. shelves welded to S.S. square pipe uprights. ACCESSORIES: All Sheet /Pipe S.S. 202 Grade Pre-polished Plastic Coated. Width- 1050 mm Depth-500MM Height-1900MM	1
47	S.S. STORAGE SHELVING	• Five # 22 GA. S.S. Shelves. • All sides marine edges. • S.S. hat type reinforcement. • 38mm x 38mm x # 18 Ga. S. S. square pipe uprights. with s.s. adjustable bullet feet • S.S. shelves welded to S.S. square pipe uprights. ACCESSORIES: All Sheet /Pipe S.S. 202 Grade Pre-polished Plastic Coated.	1

		Width- 900mm Depth-500MM Height-1900MM	
48	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 1000mm Depth-750MM Height-865+150MM	1
49	CHAPATI PLATE WITH PUFFER	Usage/Application :Used for Cooking Chapati / Phulka / Roti In the Cookware Material :SS 304 Base Cabinet Type :SS 304 Finishing Type :MATT Surface Finishing : polished Width- 1240mm Depth-750MM Height-865+150MM	1
50	S.S. MOBILE TANDOOR (GAS OPERATED)	• 150mm High Rear splash . • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • hat type welded channel frame work. • Commercial grade heavy duty tandoor approx 700mm dia x 700mm height with 300mm dia mouth. • Exterior # 22 Ga. S.S. cladding. • Interior # 18 Ga. M.S. cladding. • 40mm thick Miniral wool insulation. • Front S.S. Ash removable opening with shutter. • (4) no. heavy duty 125mm Dia Non marking rubberized castors all with brakes. • 2 No. Seekh Hanger (900mm x 150mm). Width- 750mm Depth-750MM Height-865+150MM	1
51	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 600mm	1

		Depth-750MM Height-865+150MM	
52	DOSA/GRIDDLE PLATE (FULL SMOOTH)) WITH PIPE U/S	• #16 Ga. S.S. Top. • 150mm High Rear Splash. Gas operated • Top and body secured to 12/25mm x 75mm x 25/12mm # 1.6 mm Thick S.S. hat type welded channel frame work. • Exterior # 22 Ga. S.S. cladding. • 38mm x 38mm x 16 Ga. S.S. Square pipe legs with S.S. adjustable bullet feet. • 25mm x 25mm S.S. square pipe Under shelf. • Full width x 750mm x 20mm thick M.S. Hot Plate with front gutter & S.S. grease drawer. • Full Smooth Plate. • Two (2) no. "V" type H.P. burner with pilot lamp. • Full width # 18 Ga. S.S. Bottom Pipe shelves. Width- 1050mm Depth-750MM Height-865+150MM	1
53	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick S.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 450mm Depth-750MM Height-865+150MM	1
54	SPREADER TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick S.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 550mm Depth-750MM Height-865+150MM	1
55	INSECT-O-CUTORS	• Unit suitable for ceiling suspension or mounting on ceiling, • Lamps: 3 x 15 watt • Fiber Body • Sleek Design • Dual Glue pads	1

		• Downward focus	
56	STONE TOP MOCK BAR S.S. COUNTER WITH 750 MM FLAP DOOR	• Granite stone Top with one sided flap door. • Top and body secured S.S. welded angle frame work. - Rear & Both sides # 20 G.A. S.S. Cladding. - Base of Counter will be fixed with holdable fastener on floor - Width- 3965mm - Depth-350MM - Height-1100MM	1
57	FRONT FLAP WITH WASTE BIN	• 16 GA SS Top with Front Side Turned Down 50 mm & 12 mm Rear • Rear Side Turned Up 100 Mm Reured 27mm & Down 12mm • 22 GA SS Flap Door For Garbage in Front 150 mm Height Flap Door • 16 GA SS Platform Trolley Rear & Both Sides Turned Up 100 mm. • Front Sides Full SS Door With Handle • 4 Nos 100 mm Dia Rubberized Wheel with 2 Nos Brackets • 38 X 38x 3 mm Thik SS Angle Fram Work • Rear & Both Sides Body 20 GA SS Cladding / Paneling - Width- 600mm - Depth-600 MM - Height-750+100 MM	1
58	MOCKTAIL STATION WITH PIPE U/S	• #16 Ga. S.S. Top. 100mm High Rear Splash, Back Splash to be Covered with 22 G.A. S.S. Sheet • Front and Both side turned down 50mm & in 12mm, rear side turned up 100mm, returned 25 mm in 12mm D/corners coved with 20mm radius. • Top and body secured to 12/25mm x 100mm x 25/12mm # 1.6 mm Thick S.S. hat type welded channel frame work. • Rear & both sides # 22 G.A S.S Cladding. Between the bottles holding plates, one (1) No. removable No. 22 GA.S.S. Ice holding bin (non-insulated) with extended flanges on all sides of size approx 600mm Wide x 250mm Deep x 300mm High, supported at top, with coved corners, base perforated with 3mm dia holes. • Three (3) Nos. S.S Bottle holding removable plates on both sides to be provided each with three (3) nos. of cut-outs of 100mm dia and provided with perforated S.S. bottle holding inserts with perforated base. Provided with cutouts suitable to hold and provided with four (4) Nos. GN-1/6 size S.S coved die pressed food pan inserts of 4" Deep with flush S.S lids w/ handles. • Front of unit full width single speed rail. • Four (4) no. 38mm Dia S.S. Counter type legs, with s.s. Adjustable bullet feet. - Width- 1050mm - Depth-600 MM - Height-750+100 MM	1
59	WORK TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work.	

		• Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 800mm Depth-600 MM Height-750+100 MM	
60	BLENDER	• With touch pad controls • 30 Pre-programmed blend cycle • LCD Display. • Electronic Control. • Polycarbonate container • Two Speed. • Direct Drive Motor • Jar Size (1.8 liter capacity) • With acoustic cover	1
61	ICE CRUSHER	• Double Layer Stainless Steel Ice Crusher with 2.5mm thick Stainless Steel Blades. • Welded on an 18mm thick Stainless Steel rod makes the Ice-boy's Ice Crusher the most Durable, Long Lasting Electronic Control. • Built – in Auto Stop Timer – The Ice Crusher Stops Automatically Once Ice is crushed.	1
62	WORK TABLE WITH 2 U/S	• 150mm High Rear splash, Back Splash to be Covered with 22 G.A. S.S. Sheet. • #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick S.S. welded angle frame work. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. All Sheet/Pipe S.S. 202 Grade Pre-Polished Plastic Coated. Width- 690mm Depth-600 MM Height-750+100 MM	1
63	SEMI AUTOMATIC COFFEE MACHINE WITH COFFEE GRINDER	• 2 groups • Electronic programming of coffee dosage • standard steam wands • 1 hot water wand • Stainless steel and black metal body Grinder Model No - Magnum Automatic Grinder	1
64	THREE DOOR BACK BAR BOTTLE COOLER	• Two separate zones for Red and White wine • Lock • No frost • Anti-Vibration • Elegant stainless steel door frame • Double layer anti UV tinted glass door • Cabinet colour: Black • Pullout sliding shelves	1

65	SANDWICH GRILLER	• Electrical operated. • Cast iron plates for even cooking • Self balanced upper plate allows you to adapt the cooking to the food • 2 heating elements • Temperature upto 300C	1
66	CENTRIFUGAL JUICER	• With Thermal protector. • Removal centrifugal basket made of micro perforated stainless steel sheet. • Continuous juice production by centrifugal action and automatic pulp ejection. • Wide feeding hole. • Stainless steel bowl and base. • Motor braking when opening. • All removable parts should be dishwasher compatible. • Standard basket to be provided with 0.5 mm diameter holes, in option with 0.8 mm.	1
67	DEEP FREEZER (300 LTRS)	• Efficient and powerful cooling. • No. of Door/Type : 2/Solid. • Castors • Lockable. • Auto defrost. • 8°C ~ -25°C	1
68	REFRIGERATED DISPLAY BASE +3	Usage/Application : Restaurant Material :SS, Glass, etc Glass Thickness :12 mm Counter shape :Curve No. of Shelves :3 Shelves Power Consumption :2 HP Voltage : 220 V Automation Grade :Automatic Surface Finish :Polished Frequency :50/60 Hz Width- 1200mm Depth-7500 MM Height-1200 MM	1
69	REFRIGERATED DISPLAY WITH 1/10 BAIN MARIE	Usage/Application : Restaurant Material :SS, Glass, etc Glass Thickness :12 mm Counter shape :Curve Power Consumption :2 HP Voltage : 220 V Automation Grade :Automatic Surface Finish :Polished Frequency :50/60 Hz Width- 1200mm Depth-750 MM Height-1200 MM	1

70	S.S. STORAGE SHELVING FOR DISPLAY	• Five # 22 GA. S.S. Shelves. • All sides marine edges. • S.S. hat type reinforcement. • 38mm x 38mm x # 18 Ga. S. S. square pipe uprights. with S.S. adjustable bullet feet • S.S. shelves welded to S.S. square pipe uprights. ACCESSORIES: All Sheet /Pipe S.S. 202 Grade Pre-polished Plastic Coated. Width- 1200mm Depth-750 MM Height-1200 MM	1
71	CUTLERY TABLE WITH STORAGE CABINET	• #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick M.S. welded angle frame work. • 4 No. 38mm Dia. S.S. legs with S.S. adjustable bullet feet. • Full width # 18 Ga. S.S. Bottom & intermediate shelves. • Rear & both sides # 22 Ga. S.S. cladding. • Front of unit one (1) #22 G.A. S.S. hinged door with handle. Width- 720mm Depth-1050 MM Height-865 MM	1
72	FOOD PICK-UP COUNTER W/ COLD BAIN MARIE, TRAY REST RAIL & SNEEZE GUARD (2NO 1/1 G.N PAN)	• #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick S.S. welded angle frame work. • 1No.Box approx 640mm x 510mm x 225mm deep #22 Ga. S.S. Refrigerated cold Bain Marie complete with 50mm thick puff insulation, Three No. G.N. 1/1 pan, 150mm deep with lid at center. • 4 No. 38mm Dia. S.S. legs with adjustable bullet feet. • Full width 25mm dia. S.S. sheet tray rest rail with S.S. bracket. • Full width x 600mm deep sneeze guard to be provided above refrigerated cold pan. • 0.5 H.P. Normal item Kirloskar compressor with louvers panel. • Full width # 22 Ga. S.S. bottom shelf. • Rear & both sides # 22 Ga. S.S. cladding. • Front of unit two (2) #22 G.A. S.S. hinged door with handle. Width- 950mm Depth-750+300 MM Height-865 MM	1
73	FOOD PICK-UP COUNTER W/HOT BAIN MARIE, TRAY REST RAIL & SNEEZE GUARD (4NO 1/1 G.N PAN)	• #16 Ga. S.S. Top. • Top and body secured 38mm x 38mm x 3mm Thick S.S. welded angle frame work. • 1No. Box approx 1300mm x 510mm x 225mm deep #22 Ga. S.S. Bain Marie complete with water inlet outlet, 3.0 k.w. heating element, 4 no. GN 1/1 Pan, 150mm deep with lid. 25mm box type glass wool insulation. • Electrical panel complete with thermostat, on off switch & light indicator. • 6 No. 38mm Dia. S.S. legs with adjustable bullet feet. • Full width 25mm dia. S.S. pipe tray rest rail with S.S. bracket. • Full width x 600mm deep sneeze guard constructed as per standard	1

		dwg. • Low water automatic shut-off valve. • Full width # 22 Ga. S.S. cladding. • Front of unit 4 no. #22 G.A. S.S. hinged door with handle. Width- 1500mm Depth-750+300 MM Height-865 MM	
74	CHEESE TROLLEY	• # 14 Ga. S.S. top channel shape with bottom & intermediate shelves. • Four (4) no. 38mm dia. uprights on Castors. • 38mm dia. S.S. pipe handle with pipe reinforcement. • 150mm high 12mm Dia. S.S. pipe railing rear & both sides • (4) no. heavy duty 125mm dia. Non marking rubberized castors all with brakes. • Under sides of top shall be reinforced W/ 25 X 100 X 25 #16 G.A S.S inverted channel. • Wheel Stopper required Width- 900mm Depth-600 MM Height-865 MM	1
75	DESSERT TROLLEY	• # 16 Ga. S.S. top channel shape with bottom & intermediate shelves. • Four (4) no. 38mm dia. uprights on Castors. • 38mm dia. S.S. pipe handle with pipe reinforcement. • 150mm high 12mm Dia. S.S. pipe railing rear & both sides • (4) no. heavy duty 125mm dia. Non marking rubberized castors all with brakes. • Under sides of top shall be reinforced W/ 25 X 100 X 25 #22 G.A S.S inverted channel. • Wheel Stopper required Width- 900mm Depth-600 MM Height-865 MM	1
76	SALAD TROLLEY	• # 16 Ga. S.S. top channel shape with bottom & intermediate shelves. • Four (4) no. 38mm dia. uprights on Castors. • 38mm dia. S.S. pipe handle with pipe reinforcement. • 150mm high 12mm Dia. S.S. pipe railing rear & both sides • (4) no. heavy duty 125mm dia. Non marking rubberized castors all with brakes. • Under sides of top shall be reinforced W/ 25 X 100 X 25 #22 G.A S.S inverted channel. • Wheel Stopper required Width- 900mm Depth-600 MM Height-865 MM	1
77	WINE TROLLEY	• # 16 Ga. S.S. top channel shape with bottom & intermediate shelves. • Four (4) no. 38mm dia. uprights on Castors. • 38mm dia. S.S. pipe handle with pipe reinforcement. • 150mm high 12mm Dia. S.S. pipe railing rear & both sides • (4) no. heavy duty 125mm dia. Non marking rubberized castors all with brakes.	1

		• Under sides of top shall be reinforced W/ 25 X 100 X 25 #16 G.A S.S inverted channel. • Wheel Stopper required Width- 900mm Depth-600 MM Height-865 MM	
78	GUERIDON TROLLEY	• # 16 Ga. S.S. top channel shape with bottom & intermediate shelves. • Four (4) no. 38mm dia. uprights on Castors. • 38mm dia. S.S. pipe handle with pipe reinforcement. • 150mm high 12mm Dia. S.S. pipe railing rear & both sides • (4) no. heavy duty 125mm dia. Non marking rubberized castors all with brakes. • Under sides of top shall be reinforced W/ 25 X 100 X 25 #22 G.A S.S inverted channel. • Wheel Stopper required Width- 900mm Depth-600 MM Height-865 MM	1
79	ROOM SERVICE TROLLEY	• # 16 Ga. S.S. top channel shape with bottom & intermediate shelves. • Four (4) no. 38mm dia. uprights on Castors. • 38mm dia. S.S. pipe handle with pipe reinforcement. • 150mm high 12mm Dia. S.S. pipe railing rear & both sides • (4) no. heavy duty 125mm dia. Non marking rubberized castors all with brakes. • Under sides of top shall be reinforced W/ 25 X 100 X 25 #16 G.A S.S inverted channel. • Wheel Stopper required Width- 900mm Depth-600 MM Height-865 MM	1
80		Installation of LPG Cylinder Manifold System (Of 4x2=8 Cylinders of 19 kg capacity each) with all cylinders kept in staggered manner at ground level. Having 3 cylinders operational at once with 3 in standby position. Made out of hot finished seamless pipes as per ASTM A-106 Gr B, necessary MECV manifold Nipples, #3000Psi rated Sockets, Special clamps, click on type compact value cylinder adaptors, cylinder Pigtailes, NRVs , EFCVs and other accessories as listed below.	1
81		Compact Value Cylinder Adapter.	6
82		Non Return Valve made out of Forged Brass.	6
83		Flexible cylinder Pigtail made out of PTFE enriched Polymer chemically resistant to LPG , duly braided by SS-304.	8
84		Adjustable Pressure Regulator(2301, Gas Flow Rate is 100nm ³ /hr & outlet pressure is adjustable from 0.5 to 10 kg/cm ² , 1:BSP-INT) like with necessary fittings.	1

85		Bourdon Type Pressure Gauge in 100mm dial size of pressure range 0-4,14kgf/cm ² with valve.	8
86		Burner Pipe: 4 feet	16
87		LPG Filter: 40mm	1
88		Flame Arrester: 25mm	6
89		Nut Bullnose '1'	6
90		CS Ball Valve Size: 40mm	10
91		ASTM-A-106 Schedule 40 C Class Pipe with forged fitting duly welded and Including all fitting material(socket,clamp,tee,short bend, etc.) Size: 40mm	450
92		Testing & Painting	450
93	Soft Broom	Size: 36 inch. Weight: 250 gm. Material Used: Semi Plastic.	7
94	Hard Broom	Size: 36 inch. Weight: 350 gm. Material Used: Coconut leaves.	7
95	Yard broom	Bristle Material: Nylon. Bristle Stiffness: Medium. Color: Blue. Shape: Rectangular. Bristle Color: Black. Material: Plastic.	7
96	Carpet brush	Shape: Rectangular Material: Stainless Steel Automation Grade: Manual Form: FOAM Color: Black	7
97	T-scrubber	With Steel Handle, Size STANDARD Material HARD Bristle Material 97Nylon Bristle Stiffness Hard Brush Type	7

		Handle Brush	
98	WC brush	Fibre Type, Polypropylene Handle Material Plastic Diameter 3" (7,6 cm) Handle Length 14" (35.6 cm)	7
99	Upholstery brush	Brush Length: 8.5 in. Brush Head: 2.5 in x 2 in. Bristle Material: Stiff black Nylon. Bristle Length: 1 in.	7
100	Ceiling broom	Weight. 200 - 400 gm.Washable. Waterproof.Broom Head Material. Plastic.Broom Length. 3 - 4 Feet.Brush Material. Nylon.	5
101	Mops: with detachable/fixed heads	Absorbent material to dry wet floors quickly Cloth mop with detachable mop head Colour: Yellow Easy twist-on connector for affixing mop head to handle Soft cloth strands to reach nooks and crannies Sturdy construction, With Steel handle, Size Standard	8
102	Squeezes	Size standard, Handle Material Stainless Steel Head Material Polyvinyl Alcohol (PVA)	8
103	Box sweeper	Coverage Area. 2600 m ² /hr ; Dimension. 1020 X 715 X 975 mm ; Max. Brush Speed. 4 km/hr ; No. of Wheels. 2 ; Roller Working Width. 500 mm	4
104	Buckets – 25 Ltr. Capacity	Heavy duty plastic, Plain solid color, 25 Ltr capacity	8
105	Mugs	Heavy duty plastic, Plain solid color, standard size	10
106	Bowls	Heavy duty plastic, Plain solid color, 20 ltr capacity	10
107	Dust bins	Blue and Green Plastic, for dry and wet garbage, 20 ltr capacity	6
108	Maid's trolley	Material Metal, Color Brown, Multiple shelves, drawers, and compartments to store and transport cleaning supplies, tools, and amenities. Equipped with wheels for easy mobility and should include waste bins, laundry bags, and holders for brooms, mops, and vacuum cleaners. Size : 1400 * 500*1210 MM	1
109	Mop wringer trolley	Heavy Duty Single mop, Bucket Capacity : 20 LTR. Bucket : Single. Outer Dimension (L x W x H) : 25.95 x 20.86 x 8 cm. Weight : 6 Kg (Approx)	2
110	Cleaning agents (Ltrs.), R1, R2,R3, R4,R5	Standard, 5 ltr pack of each	5
111	Step ladder long size 7 ft	Heavy Duty Aluminium, 7 ft, foldable.	1
112	First aid kit Box	Std	2
113	Screw driver multipurpose	10 in one (10 different bits), ergonomic handle with comfortable rubber grip.	1
114	Plier	Needle nose, serrated, side cutting, with insulated grip.	1
115	Khurpa	200 mm blade, Stainless steel, non slip and soft TPR with wooden handle	2
116	Hammer	Metal Head One piece steel, claw hammer with rubber grip, 12" length	2

117	Flower vases assorted	High Quality Ceramic (assorted design and sizes)	6
118	Plastic Containers for holding flowers and foliage	High quality plastic, white translucent rectangular boxes with lockable lid. Height 6" *12"*12".	6
119	Scissors	SS, with Fiber grip	6
120	Spray bottle	Plastic, white color trans lucent with measuring scale, 1 ltr capacity.	6
121	White Board	Magnetic, durable aluminum frame, long lasting hard and hard, rounded plastic corners, 3ft by f ft.	1
122	Reception & POS Counter , Laminate-Green lam, Absolute White (PF) 108	Providing and placing in position POS Counter made out of 18mm thk. with ledge stone top Marine ply finished in appd. Laminate and 38 mm thick edge banding with necessary support framework with lockable storage & shelves , Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect . Size : 3450 x 600 x 1050 mm	1
123	Podium	Providing and placing in position Podium made of 18mm thk. Marine ply finished in appd. Laminate with necessary support framework. Cost to include opening for podium with all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect . Size : 750 x 350 x 1200	3
124	Concierge	Providing and placing in position Concierge made out of 18mm thk. Commercial ply finished in appd. Laminate and edge in wooden liping patti finished with melamine polish colour matching with table top laminate with necessary support framework as approved, Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect . Size : 1350 x 600 x 850 mm	1
125	Bell Desk	Providing and placing in position Bell Desk made out of 18mm thk. Commercial ply finished in appd. Laminate and edge in wooden liping patti finished with melamine polish colour matching with table top laminate with necessary support framework as approved, Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect . Size : 1350 x 600 x 850 mm	1
126	Travel Desk	Providing and placing in position Travel Desk made out of 18mm thk. Commercial ply finished in appd. Laminate and edge in wooden liping patti finished with melamine polish colour matching with table top laminate with necessary support framework as approved, Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect. Size : 1200 x 500 x 850 mm	1
127	First Aid Box	Providing and fixing in place First Aid Box made of 19mm commercial board with 1mm laminate from both side .	1
128	Key Box	Providing and fixing in placeKey Box made of 19mm commercial board with 1mm laminate from both side .	1
129	Dining table chairs - I (With Cushion)	Providing and placing in position Dining table chair made of Ashwood in Satin polish matching to Pure elm laminate finish with necessary 129support framework and legs made of Ashwood in Satin polish matching to Pure elm laminate finish	32

		as approved, Cost to include Cushion for seat in letherite material with all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect.		
130	Dining table - 1300mm x 700mm, Laminate - Greenlam 270 Silver Grey	Providing and placing in position Dining table made out of 18 mm thk. Commercial ply finished in appd. Laminate and 30 mm thick edge banding with necessary support framework in MS hollow pipe finished in black powder coat as approved, Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect. Size : 1300 x 700 x 750 mm		8
131	Dining table - 750mm x 700mm, Laminate - Greenlam 270 Silver Grey	Providing and placing in position Dining table made out of 18 mm thk. Commercial ply finished in appd. Laminate and 30 mm thick edge banding with necessary support framework in MS hollow pipe finished in black powder coat as approved, Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect. Size : 750 x 700 x 750 mm		2
132	table - 600mm x 600mm, Laminate - Greenlam 270 Silver Grey	Providing and placing in position Dining table made out of 18 mm thk. Commercial ply finished in appd. Laminate and 30 mm thick edge banding with necessary support framework in MS hollow pipe finished in black powder coat as approved, Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect. Size : 600 x 600 x 750 mm		6
133	Sofa seating - FOM area	Providing and placing in position Fixed Seating made out of Commercial ply with appd. Laminate moulded & Seat & Back Cushion in letherite material as per design and detailed drawing. Necessary support to be done in 38x38 mm thick Metal legs finished with black powder coating. Cost to include all hardware, fasteners, and rubber / PVC leveller etc. complete in all respecst.		6
134	Bar chairs - I	Providing and placing in position Bar chair made of Ashwood in Satin polish matching to Pure elm laminate finish with necessary support framework and legs made of Ashwood in Satin polish matching to Pure elm laminate finish as approved, Cost to include letherite material with all hardware, fasteners, and rubber / PVC leveller etc. complete in all respect.		4
135	Side knives	SS	CZAR 15 CMS	30
136	Large knives	SS	20 CMS	30
137	Service forks	SS	21.5 CMS	30
138	Service spoons	SS	21.5 CMS	30
139	Dessert spoons	SS	15 CMS	40
140	Dessert forks	SS	18 cms	40
141	Dessert knives	SS	21.6cm/8.5"	40
142	Fish knives	SS	17 cms	30
143	Fish forks	SS	16.8/6.6"	30



144	Soup spoons	SS	6"	30
145	Butter knife	SS	20.0cm/7.8"	40
146	Tea spoons	SS	12cm	40
147	Coffee spoons	SS	11.8cm/4.6"	40
148	Ice cream spoons	SS	18 cms	12
149	Fruit knives	SS	17 cms	12
150	Fruit forks	SS	12.7 CMs	12
151	Pastry forks	SS	14.2cm/5.6"	40
152	Steak knives	SS	21.5cms/8.5"	2
153	Jam spoons	SS	15x10x7cm	12
154	Large plates (full plates) 10"	China ware	10"	70
155	Half plates 9"	China ware	9"	70
156	B&B plates	China ware	300mm to 15000mm	80
157	Soup cups with saucers	China ware	17cms	45
158	Cereal bowl 5" dia	China ware	5" dia	45
159	Breakfast cups/saucers 8 floz	China ware	Cup10.3cm 6.3cm (H*D)Saucer Dia 15cm	35
160	Tea cups/saucers 6 floz	China ware	200 ml	35
161	Demitasse/saucers 3 floz	China ware	110 ml	35
162	Consomme cups/saucers 8 fl.oz	China ware	Cup10.3cm 6.3cm (H*D)Saucer Dia 15cm	20
163	Egg cups	China ware	std	10
164	Ash trays	China ware	std	10
165	Budvases	China ware	13.5 cm	15
166	Cruet sets	China ware	std	15
167	Water jugs	SS	1250ml	15
168	Tea pot/Flask (2 portions)	SS	400ml	6
169	Tea pot/Flask (4 portions)	SS	800 ml	6



170	Milk pot	SS	2 Portions	6
171	Hot water jugs	SS	1.2 Ltr 22x16x19 (798G)	6
172	Coffee pots/Flask (2 portions)	SS	350ml	6
173	Coffee pots/Flask (4 portions)	SS	700ml	6
174	Creamer	SS	9.4cmx6.8 (H)	8
175	Sugar bowls	SS	12.5cm	8
176	Butter dishes	SS	7.25"Lx3.5"wx2.13"H	10
177	Ice creams cups	SS	9.4cm(Dia)X6.8cm(H)	32
178	Finger bowls	SS	Bowl 12cm Under Liner Plate 13cm	32
179	Menu stands	SS with Glass frame	3/4"D. STAND DIM 29 1/2"H	15
180	Sauce boats with ladles	SS	1 PORTION ,2 PORTION	15
181	Tea strainer/slop basin	SS	5.5CMS	15
182	Straw holder	SS	5 straw capacity	10
183	Toothpick holder	China ware	Std	10
184	Candle holder	SS	Std	10
185	Entrée dishes single compt. (2 portions)	SS	Std	12
186	Entrée dishes single compt. (2 portions)	SS	Std	12
187	Entrée dishes single compt. (2 portions)	SS	Std	12
188	Entrée dishes double compt. (4 portions)	SS	Std	12
189	Platter 2 portions (oval)	SS	25X17.5CM	8
190	Platter 4 portions (oval)	SS	32X20CM	8
191	Platter small (round)	SS	Std	8
192	Platter medium (round)	SS	28.5 cm (L)X14.5cm	8
193	Restaurant trays (small)	Fiber Plastic	20cm(L)X10cm(W)	8
194	Restaurant trays (medium)	Fiber Plastic	28.5cm(L)X14.5cm(W)	8
195	Sugar tongs	SS	Std	8

196	Ice bucket	SS	Std	6
197	Ice tongs	SS	Std	6
198	Toast racks	SS	15.5X13.5cm	6
199	Chill cups with stands	SS	15cm(L)X15cm(W)X34(H)	30
200	Restaurant salvers	SS	16"	10
201	Mustard spoons	SS	18cms	16
202	Food covers	SS	28CMs	16
203	Water tumbler (high ball)	Std	375ml	70
204	Water goblets	Std	305ml	30
205	Juice glasses / pony tumblers	Std	175ml Juice/375ml	30
206	Tom collins	Std	Tom Collins 25 cl new York Hi Ball 340 ml	30
207	Jam & mustard pots / chutney bowls	Glass	Std	10
208	Glass bowls	Std	8"	18
209	Beer goblets	Std	Impact 345 ml	18
210	Draught beer glass	Std	315ml plisner	18
211	White wine glass	Std	195ml	18
212	Red wine glass	Std	455ml	18
213	Parisian goblets	Std	champion soucer 200ml	18
214	Claret glass	Std	sundee cup 255 MLP00315	18
215	Sherry elgin	Std	Soda Cup 355MLP00415	18
216	Sherry copita	Std	SHEREY 130ml	18
217	Port wine glass	Std	Brandy 340ml	18
218	Hock glasses	Std	750ml hemero	18
219	Moselle glass	Std	36"FB	18
220	Champagne tulip	Std	VIVA Footed 420	18
221	Champagne flute	Std	185ml	18

222	Champagne saucer	Std	135ml	18
223	Cocktail glass	Std	140ml	18
224	Brandy balloon	Std	23-28cl 195ml	18
225	Liqueur glass (straight)	Std	short glass	18
226	Liqueur glass (standard)	Std	300ml	18
227	Old fashioned	Std	sanmario 245ml	18
228	On the rocks glass	Std	centra 300 ml	18
229	Rollypolly	Std		18
230	Parfait glass	Std	18.31x7.48x3.35inches	18
231	Decanter	Std	1400mm med	12
232	Coffee carafe	Std	Borosil 5pc/imported 5	6
233	Martini glass	Std	MARGITE 200ML	10
234	Sour glass	Glass	Std	6
235	Horsd'oeuvre tray	SS	Std	2
236	Wine bucket stand	SS	Std	4
237	Pastry tongs	SS	Std	4
238	Nut cracker	SS	Std	2
239	Gateaux slicer	SS	SS PAI SERVER	4
240	Pepper mill	Wooden	8"	4
241	Nutmeg grater	SS	Std	2
242	Cigar cutter	SS	8.3x0.6x10.2cm	2
243	Bar spoon	SS	Std	2
244	Ice picks	SS	Std	2
245	Peg measure	SS	Std	2
246	Optic measure	SS/Glass	Std	2
247	Check-flow pourer	SS/Glass	Std	2

248	Push up measure pourer	SS/Glass	Std	2
249	Ice cream scoop	SS	Std	4
250	Hydrometer	Std.	Std	1
251	Avocado dish	China ware	Rena Plate FP	4
252	Asparagus plate	China ware	STONEWARE FP	4
253	Asparagus tongs	SS	Green Handle Tong ICE	2
254	Egg dish (round ear)	China ware	40CM OVAL PLATTER	3
256	Fish dish (oval eared)	China ware	OVAL PLATTER FISH 32CM	3
257	Oyster dish/plate	SS	SOUP PLATR 10" BC	3
258	Oyster fork	SS	Std	3
259	Snail dish	SS	Std	3
260	Snail fork	SS	Std	3
261	Snail tong	SS	Std	3
262	Parfait spoon	SS	Std	3
263	Salad dish	China ware	20cmX11cm	3
264	Cheese knife	SS	Std	2
265	Grape fruit knife	SS	Std	2
266	Grape fruit spoon	SS	Std	2
267	Lobster cracker	SS	7.4*1.9*0.3 inches	2
268	Lobster pick	SS	1.50x1.50x2.50 inches	2
269	Corn on the cob holder	SS	5.2x3.5x0.7 inches	4
270	Grape scissors	SS	Std	2
271	Caviar knife	SS	Std	2
272	Fondue fork/dish	SS	1.8x28.2x9.4cm JM	4
273	Carving set	SS	Std	2
274	Cheese board	Fiber Plastic	SHISHAM	2



275	Skewers	(stainless steel with wooden handle)	Stainless steel square Rod Length : 10 inches and wooden Handle : 3 Inches. Total Length of Skewer : 13 inches	10
276	Oil & vinegar cruet	Glassware or Chinaware	Std	6
277	Sugar dredger EPNS	SS	Std	2
278	Rechauffe battery	SS	Std	1
279	Fruit basket	SS	Std	6
280	Gateaux stand	SS	Std	2
281	Table numbers	SS	Gold No.1 Menu	10
282	Angels's wings	SS	Std	6
283	Crown cap opener	SS	Std	36
284	Hydrometer	Glass	Plant-based Wax, Stainless steel bead - S390, Paper scale, Body: 17mm, Stem: 7mm, Length: 250 +/-10mm, Measuring range: 0.800-1.150 / 0-16% / 26-341, Accuracy: +/-1 division	1
285	Chopping board	Wooden	12*18*1.1/2	4
286	Waiters friend SS	SS	std	4
287	Can opener	SS	Heavy Duty SS (CROME)	2
288	Wine cradle	Chiller Polish Plan	Chiller Polish Plan	2
289	Broken cork extractor	toughened metal and resistant plastic	width 8.5 cm - lower 4 cm - height 10 cm	2
290	Corking machine	Metal	Manual	1
291	Citrus squeezer SS	BIG LEMON SQUEEZER SS	8.6x4.72x4.06 inches	3
292	Funnel SS	SS	6" dia	3
293	Bar mixing glass SS	SS	Specs Dimensions: 3 1/2" Wx5 3/4 " H	3
294	Swizzle stick	Wooden	Product Material : Wood Product Brown Pack Size 1 count Product Dimensions 11.3" Lx2.3"Wx2.3"H Product SKU: RWT0282	100
295	Muddler	Metalic with synthetic base	8"	2
296	Cocktail sticks	wooden	Std	100

297	S.S.Grater	4 sided, SS		12
-----	------------	-------------	--	----

298	S.S.Round spoon	24.5 CM height, 2" mouth	12
299	S.S.Flat spoon	9 inches	12
300	S.S.Fish Slicer	24.5 CM height	12
301	S.S.Perforated round spoon (frying spoon)	12 No	12
302	SoupStrainer S.S.	11"	8
303	Rolling pin (wooden)	13"	8
304	S.S.Tongs	(OVAL)	12
305	Chopping board (Fiber with color codes)	Each (White, Green, Red)	12
306	Chopping board (Fiber with color codes)	Each (Yellow, Blue, Brown)	6
307	Steak hammer	Metalic, atd	8
308	S.S.Measuring jug	(1/2 Ltr)	15
309	Egg Slicer	Metalic, wired	15

310	Piping Bag/ Nozzle	PLASTIC	15
311	S.S. Lime squeezer	std, heavy duty	15
312	Potato masher SS	heavy duty	15
313	S.S. Mixing Bowl	(10" dia)	15
314	S.S. Mixing Bowl	(8" dia)	15
315	Stock pot (20 Ltrs.) SS with handle and lid	(20 Ltrs.)	8
316	Oven Aluminum Baking trays	19.6 × 13.5 × 1.2 inches	15
317	Oven Steel Trays	19.6 × 13.5 × 1.2 inches	8
318	Oven Iron Trays	19.6 × 13.5 × 1.2 inches	15
319	Silicon pad	19.6 × 13.5 × 1.2 inches	10
320	Oven Gloves	Silicon, Heavy duty	2
321	Brine O' Meter	glass body, from 0 to 100 %, 10 3/4" long	2
322	Thermometer for Chef	Temp range -50°C~+300°C(-58°F~572°F) size 65*55*35cm	2
323			
324			

325	Aluminum degchi with lid (sandwich bottom)-	12" dia	8
326	Aluminum .degchi with lid (sandwich bottom)-	10" dia	8
327	S.S.degchi with lid (sandwich bottom)- 08" dia	08" dia	8
328	SS Kadhahi (sandwich bottom)	10" dia	8
329	Pressure Cooker (15 lts)	(15 lts)	2
330	S.S Tray/ thal - 16" dia	16" dia	1
331	Non stick Frying pans 10" dia	10" dia	15
332	S.S small Braising pan	08" dia	15
333	Tava with handle	MS	15
334	Collander SS 08" base	08" base	10
335	Pie dish Aluminium	06" dia	10
336	Mahi Tawa	18"	1

337	Steamer Aluminum	8", 3 compartment	2
338	S.S Tray/ Thal – 16" dia	16" dia	10
339	Heavy Bottom Aluminum patila with Lid	(40 Ltr (Capacity)	3
340	Heavy Bottom Aluminum patila with Lid	(30 Ltr capacity)	4
341	Heavy Bottom Aluminum patila with Lid	(20 Ltr Capacity)	4
342	Steel Kadhai	(30 Ltr Capacity)	2
343	Steel Kadhai	(20 Ltr Capacity)	2
344	Spider wire Mesh for Frying	(Big Size)	2
345	Frying Ladle (Jharna)	(Big Size)	2
346	Frying Ladle (Jharna)	(medium Size)	2
347	Doori		4
348	Exhaust Fan	1000 cfm	4
349	Perforated spoon (wire mesh type)	24.5 CM height, 5" mouth	4
350	Barbeque Sigri	Iron heavy duty, 32"	1
351	Mortar and Pestle	Stone	2
352	Potato masher	SS WOODEN HANDLE	1
353	Idly Steamer	12 tray capacity	1
354	Small Moulds (Assorted)	30 Each types	15

355	Kitchen Aid	(5 Ltr Capacity)	2
356	Cake ring (6 Inch Dia)	6"	8
357	Cake ring (8 Inch Dia)	8"	8
358	Cake ring (10 Inch Dia)	10"	8
359	Pie Ring	6"	8
360	Quiche ring	6"	8
361	Bread Mold (1Kg)	1 Kg capacity	8
362	Bread Mold (750 gm)	750 gm capacity	8
363	Bread Mold 500 Gm	500 gm capacity	8
364	Cake Stand	Std	8
365	Bakery Plastic Large Rolling Pin	24"	3
367	Different Shapes Cutter for Cookies	30 Each Type	18
368	Muffin Mold Trays	Nonstick material, 12 mold capacity	18
369	Removeable Bottom mold	10"	10
370	Boning knife	6", SS, with fibre handle	4
371	French knife	10", SS, with fibre handle	4
372	Fillet knife	8", SS, with fibre handle	4

373	Paring knife	4", SS, with fibre handle	4
374	Garnishing knife	4" serrated edges, SS, with fibre handle	4
375	Carving knife	Pen shae, SS, Thai style	4
376	Fruit knife	SS, with fibre handle	4
377	Citrous fruit knife	SS, with fibre handle	4
378	Sharpening grinds Hollow, roll, flat, concave	6"	4
379	Butter curler	SS, Std	4
380	Can and wine opener	metallic, heavy duty	4
381	Aspic cutters	SS	4
382	Mandolin	SS with safety cover	2
383	Cone shape mold	SS	16
384	Dough Scraper	PLASTIC	18
385	Pizza Cutter	SS with fibre handle	12
386	Wire Whisker	14"	18
387	Tart Mold	metallic non stick 2.6" dia	30
388	Mold – various shapes & sizes	metallic non stick	18
389	Dough Nut Cutter	SS, Std	2

390	Roller Docker	heavy duty plastic	2
391	Glass bowl for Pudding	8"	6
392	Bread Knife	8", SS with fibre handle	4
393	Parisienne scoops 4 sizes	SS with rubber handle	5
394	Zig Zag Knife	SS with fibre handle	1
395	Zig Zag Scraper	Metalic with fibre handle	10
396	Piping bag with nozzle	PLASTIC	1
397	Patty pans	8" dia	20
398	Pastry brush	(silicon)	20
399	Spatula SS	24.5 CM height	20
400	Tweezer	12" SS	5
401	Peeler	Y- style, heavy duty blade with fibre handle	20
402	Grater SS	SS	1
403	Vegetable scorer	SS	5
404	Ice crusher	electric, heavy duty	1
405	Concentric circle cutter	3 interlocking concentric circles	5
406	Chinese cleaver	8.5" blade SS, Heavy Duty	3



407	Chinese sculpting tools	kit	2
408	Bamboo skewers	Pkt	5
409	Grape scissors	SS	5
410	Scissors	SS with fibre handle	5
411	Needle nose pliers	160 mm, without spring	5
412	Pate mold aluminum	non stick, 3"*3"*16"	10
413	Flour Strainer	SS, 10" dia	5
414	Pressure Cooker	15 LTR	1
415	Silicon spatulas	12"	20
416	Barbeque sikkh	(Different Thickness 2 Feet Long)	18
417	Terrine mold Aluminum	non stick, 3"*3"*16"	10
418	Food mirror (various sizes)	For Plating/presentation	2
419	Stainless steel Palta	(3.5 Feet)	2
420	Stainless steel Palta	(3 Feet)	2
421	Iron Palta with Wooden Handle	(3.5 Feet)	2
422	Iron Palta with Wooden Handle	(3 Feet)	2
423	Copper Lagan with Lid	(25 Ltr Capacity)	2

424	Copper Lagan with Lid	(20 Ltr Capacity)	2
425	Coper lagan with Lid	(10 Ltr capacity)	2
426	Masala Rack	(12 Compartment)	1
427	Masala Rack	(6 Compartment)	1
428	Tawa with Wooden Handle	8" dia	10
429	Wooden Spoon	12" length	10
430	Chinese Wok with Wooden Handle	13" dia, 10" handle	4
431	Chinese Wok Broom	bamboo made, 30cm x 5cm x 5 cm	5
432	Kitchen Paper Dispenser	iron, wall mounted	4
433	Commercial Gas Lighter	18"	5
434	Conical strainer	SS, 8" dia, 9.5" height, handle 9 "	5
435	Kitchen Aid	20 Ltr Capacity	1
436	Sous vide machine	Overall size: 98.4 X 187.3 X 358.8mm Maximum Bath Volume: 30 litres Maximum pump output: 12 litres per minute Maximum temperature: 95 deg. C Electrical rating: 1.1 Kw / 240 V / 1 Φ	1
437	Vacuum pack Machine	SS, electric, 30.5L x 10.4W x 5.1H Centimeters, with vaccum packs	1
438	Molecular Gastronomy Kit	Sodium Alginate 50g E401 Calcium Lactate 50g E327 Agar Agar 50g E406 Xanthan Gum 50g E415 Lecithin Powder 50g E322 Vanilla Extract 10ml Molecular Collecting Spoon Digital Mini Scales Set of Measuring Spoons 3 x 50ml Syringes	1



		10 x 3ml Pipettes 3 metres of Tubing	
439	Smoking machine	Smoking Gun Wood Smoke Infuser, Chargable Battery operated	1
440	Table Mounted Pasta Machine	Stainless Steel, Manualy operated With Adjustable Thickness Settings and Table Top Clamp	1

University reserves the right to enhance or mitigate the quantity without any notice.

Note: All the accessories (in all respect) which shall be required to run the appliances have to be supplied along with the machine.

OTHER REQUIREMENTS: The bidders will have to fulfil the following general requirements:

1. Bidder shall ensure that the routine work should not hamper during installation and commissioning.
2. Monitoring and inspection: Monitoring and inspection shall be done by Representative of SVSU at site.
3. Bidder shall ensure that all the safety measures has to be installed as per the existing statutory compliances while designing the lab.

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:

<< Organization Letter Head >>
BID SUBMISSION

Online Bid Submission:

Online system shall be followed i.e.

- (i) Please note that in any case if price-bid/Financial Offer submitted manually then bid shall not be accepted.
- (ii) Only those proposals will be considered for opening, who have submitted their BID online by due date/time (as specified in Bid Data Sheet).

The Online bid complete in all respect. The following checklist is for the convenience of the bidders. Kindly check the following points before submitting the bids.

Sr. No.	Content	Document Submitted (Yes/No)	Page Number as per numbering given to the technical bid documents uploaded on the portal (If Applicable)
1.	All pages of the proposal have been properly numbered and signed with seal of firm by bidder/authorized signatory person only. Unattested documents will not be entertained.		
2.	Have submitted the Scanned copy (PDF format) of the technical proposals on e-Procurement Portal?		
3.	Have submitted EMD and TENDER+ E-Service charges on e-Procurement Portal?		
4.	Have you checked the eligibility Criteria and Submitted the relevant documents as proof one-Procurement Portal?		
5.	Have submitted the Company PAN, GST, Registration & associated Documents etc. on e-Procurement Portal?		
6.	Have submitted the authority letter for signing the proposal on behalf bidder on e-Procurement Portal?		
7.	Have submitted the authority letter for use of digital signature on e-Procurement Portal?		
8.	Have submitted the audited Balance Sheet, Profit and Loss statement, Turnover Sheet and Income Tax Return Acknowledgement Copy for last three financial years for financial Eligibility.		
9.	Have submitted the Terms and Condition as per Annexure – I		
10.	Have submitted the Technical Specification and Compliance Sheet as per Annexure – II		

Sr. No.	Content	Document Submitted (Yes/No)	Page Number as per numbering given to the technical bid documents uploaded on the portal (If Applicable)
11.	Have submitted the Details of Bid Submission as per Annexure – III		
12.	Have submitted the Affidavit regarding Authenticity and correctness of information/documents as per Annexure - X		
13.	Have submitted the Affidavit regarding delisting/blacklisting, demobilization etc. as per Annexure – XI		
14.	Have submitted the Affidavit regarding completion of supply and installation & commissioning of Machine/Lab Appliances etc. in running condition within stipulated time frame as per Annexure – XII		
15.	Have submitted the Affidavit and relevant certificate/document (Annexure - A and B/C/ B&C both) regarding seeking benefits/concessions by Haryana based manufacturing Micro, Small and Medium Enterprises (MSEs) and Startups/First Generation Entrepreneurs as per Annexure – XIII/XIV/XV		
16.	Have submitted the Certificate for Model Clause for Land Border Sharing Countries with India as per Annexure – XVI		
17.	Have submitted the List of Government organizations/ Department/PSU where the same products have been supplied (in last Three years) along with their contact number(s) as per Annexure-V Note: The bidder(s) are required to submit proper proof (Purchase Order/Work Order and Performance Report) duly self-attested by bidder/authorized signatory in support of the claim.		
18.	Have submitted the List of Private Organizations where the same products have been supplied (in last Three years) along with their contact number(s) as per Annexure-V Note: The bidder(s) are required to submit proper proof (Purchase Order/Work Order and Performance Report) duly self-attested by bidder/authorized signatory in support of the Claim.		

Sr. No.	Content	Document Submitted (Yes/No)	Page Number as per numbering given to the technical bid documents uploaded on the portal (If Applicable)
19.	Have submitted the offered Model of OEM must be working in India, without any Problems during last Three Years. Minimum 2 performance reports (out of which one should be from government organization) with Purchase Order/Work Order duly self-attested by bidder/authorized signatory to be submitted as per Annexure-V		
20.	Have submitted the Organization Declaration Sheet as per Annexure - IV		
21.	Have submitted the List of application specialist / Supporting / Service Engineer and Nearest Address of service branch who have the technical competency to handle and support the quoted product during the warranty period as per Annexure - VI.		
22.	Have submitted the Manufacturer's Authorization Form (Annexure-VIII)		
23.	Have submitted the Training Requirement (Annexure -IX)		
24.	Have submitted the Technical supporting documents (Detailed literature/catalogue of the quoted instrument and accessories) in support of all claims made at Annexure-II and Standard Size, Space requirement and lab drawing/design layout		
25.	Have submitted the TENDER corrigendum (if any) has been signed by bidder/authorized signatory and submitted on e-Procurement Portal?		
26.	Have submitted the Notice Inviting Tenders and Instructions to Bidders with sign and seal of bidder/authorized signatory?		
27.	Have submitted the financial bid as per BOQ.		-----

The bidders may submit their complete bids (with all the requisite documents) in multiple files with their respective file name as mentioned below however each file size should be up to 20 MB. Each document name should be written as "Firm Name File Name".

The documents submitted by the bidder should be in readable view otherwise, unreadable documents shall not be considered.

Sr. No.	Content	File Name	Document Uploaded (Yes/No)
1.	Company PAN, GST, TAN etc. Authority letter for signing the proposal and use of digital signature	Firm Details	
2.	Audited Balance Sheet, Profit and Loss statement, Turnover Sheet and ITR Acknowledgement Copy	Financial Details	
3.	Documents as per Annexure - I and III	Terms and Conditions	
4.	List of Organizations and minimum two performance reports with proof as per Annexure - V	Experience	
5.	Documents as per Annexure - II, IV, VI, VIII and IX	Technical	
6.	Technical supporting documents as claims at Annexure-II and lab design layout and space required	Technical Details	
7.	Self-Attested corrigendum (if any), Affidavits, Land Border Sharing Certificate and Other Documents	Affidavits and Others	

Supply and Installation Lab Skill Department of tourism & Hospitality (as per University norms Requirement for SVSU main campus, Dudhola, Palwal

(Signature with Seal of the Bidder)

Name:

Designation:

Organization Name:

Contact No.:



<<Organization Letter Head >>
DECLARATION SHEET

I/We,_____hereby declare that all the information and statements made in this Proposal are true and accept that any misleading information contained in it may lead to our disqualification. I / We have gone through the specifications, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been authorized (Copy attached) by the OEM to participate in Tender. We further certify that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

I/We, further specifically certify that our organization has not been Black Listed/De Listed or put on hold by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.

Name & Address of the Bidder	
Bidder Category: Manufacturer/authorized dealer/distributors/agent	
Phone	
E-mail ID	
Contact Person Name	
Contact Person Mobile Number	
Contact Person E-mail ID	
GST Number	
PAN Number	

(Signature with Seal of the Bidder)

Name:

Designation:

Organization Name:

Contact No.:



ANNEXURE-V

<< Organization Letter Head >>

LIST OF GOVERNMENT ORGANIZATION/DEPARTMENT/PSU

List of Government Organizations/Department/PSU for whom the Bidder has undertaken such work during last Three years (must be supported with work orders)

Note: The bidder(s) are required to submit proper proof (Purchase Order/Work Order) duly self-attested by bidder/authorized signatory in support of the claim. Without Purchase Order/Work Order, experience shall not be considered.

Sr. No.	Name of the organization	Name of Contact Person	Contact No.

Note: Experience documents not mentioned in the above table, shall not be considered for bid evaluation purposes.

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:



Annexure - V

<< Organization Letter Head >>
LIST OF PRIVATE ORGANIZATION

List of Private Organizations for whom the Bidder has undertaken such work during last Three years (must be supported with work orders)

Note: The bidder(s) are required to submit proper proof (Purchase Order/Work Order) duly self-attested by bidder/authorized signatory in support of the claim. Without Purchase Order/Work Order, experience shall not be considered.

Sr. No.	Name of the organization	Name of Contact Person	Contact No.

Note: Experience documents not mentioned in the above table, shall not be considered for bid evaluation purposes.

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:



Annexure –V (contd.)

<< Organization Letter Head >>
LIST OF PERFORMANCE REPORT

List of Performance Report for whom the Bidder has under-taken such work in India, without any Problems during last Three Years (must be supported with work orders)

Note: The bidder(s) are required to submit proper proof (Purchase Order/Work Order) duly self-attested by bidder/authorized signatory in support of the claim. Without Purchase Order/Work Order, performance report shall not be considered.

Sr. No.	Name of the organization	Name of Contact Person	Contact No.

Note: Experience documents not mentioned in the above table, shall not be considered for bid evaluation purposes.

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:



ANNEXURE – VI

<< Organization Letter Head >>

LIST of application specialist / supporting / Service Engineer

Name of application specialist / Service Engineer who have the technical competency to handle and support the quoted product during the warranty period.		
Name and Address of the organization	Name of Contact Person	Contact No.

S. No.	Nearest Address of service branch	Nearest Address of spares branch

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:

**FORMAT FOR PERFORMANCE BANK GUARANTEE**

(To be typed on Non-judicial stamp paper of the value of Indian Rupees of One Hundred) (TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT GURUGRAM OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT GURUGRAM OR ANY SCHEDULED BANK (OTHER THAN NATIONALISED BANK) SITUATED AT GURUGRAM. BONDS ISSUED BY CO-OPERATIVE BANKS ARE NOT AC-CEPTED.)

To,
The Registrar,
Shri Vishwakarma Skill University, Haryana,
Transit office: Plot No. 147, Sector 44,
Gurugram (Haryana), India

LETTER OF GUARANTEE

Whereas, Shri Vishwakarma Skill University, Gurugram (Buyer) have invited Tendersvide

Tender No.: dated:

For purchase

of.....

and whereas, the said tender document requires that any eligible successful Bidder (Seller) wishing to supply the Appliances /Machinery etc. in response thereto shall establish an irrevocable Performance Guarantee Bond in favour of "Shri Vishwakarma Skill University" in the form of Bank Guarantee for Rupees.....

and valid till from the date of issue of Performance Bank Guarantee that may be submitted within 21 (Twenty-One) days from the date of acceptance as a successful Bidder.

NOW THIS BANK HEREBY GUARANTEES that in the event of the said Bidder (seller) failing to abide by any of the conditions referred in tender document / purchase order / performance of the Appliances / machinery, etc. this bank shall pay to Shri Vishwakarma Skill University, Gurugram on demand and without protest or demur Rupees

This bank further agrees that the decision of Shri Vishwakarma Skill University (Buyer) as to whether the said Bidder (Seller) has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

We, (name of the bank & branch) hereby further agree that the guarantee herein contained shall not be affected by any change in the constitution of the Bidder (Seller) and/ or Shri Vishwakarma Skill University (Buyer).

Notwithstanding anything contained herein:

1. Our liability under this Bank Guarantee shall not exceed Rupees.
(Indian Rupees only).



2. This Bank Guarantee shall be valid up to (date).
3. We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if Institute serve upon us a written claim or demand on or before (date).

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at situated at (Address of local branch).

Yours truly,

Signature and seal of the guarantor:

Name of Bank:

Address:

Date:

Instruction to Bank: Bank should note that on expiry of Guarantee Period, the Original Guarantee will not be returned to the Bank. Bank is requested to take appropriate necessary action on or after expiry of bond period.



<< Manufacturer Letter Head >>
MANUFACTURERS' AUTHORIZATION FORM

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization shall be on the letterhead of the Manufacturer and shall on the Manufacturer.]

Date: [insert date (as day, month and year) of Bid Submission]

Tender No.: [insert number from Invitation for Bids]

To,
The Registrar,
Shri Vishwakarma Skill University, Haryana,
Transit office: Plot No. 147, Sector 44,
Gurugram (Haryana), India

WHEREAS

We [insert complete name and address of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name and address of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with the Terms and Conditions, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s), contact number and email-id of authorized representative(s) of the Manufacturer]

Title: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on day of[insert date of signing]



<< Organization Letter Head >>
Training Requirement

1.	Product Description	(Tender Name)
2.	No. of Attendees	University staff and students
3.	No. of Days	1 Week or as per the requirement
4.	Type of Training	Operational Training and Maintenance Training

Proper Training of 1 weeks (full day) or as per the requirement has to be given by the qualified engineer of the firm to the university staff and students without any additional cost.

Signature of Bidder

Name:

Designation:

Organization Name:

Contact No.:



Annexure – X

Affidavit regarding Authenticity and correctness of information/documents

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an
owner/Director/Proprietor of M/s.....

I/we who is/are (status in the firm/company)
and competent for submissions of the affidavit on behalf of M/S

.....
(Organization/Manufacturer/Authorized Dealer/Distributors/Agent) do hereby solemnly
affirm an oath and state that:

I/we am/are fully satisfied for the correctness of the certificates/records submitted in support
of the following information in bid documents, which are being submitted in response to notice
inviting e-tender No.

We also agreed to buyer for Integrity Pact terms and conditions as applicable from time to time
as per Government Rules.

I/we am/are fully responsible for the correctness of following self-certified information/
documents and certificates:

1. That the self-certified information given in the bid document is fully true and authentic.
2. That:
 1. Information regarding financial qualification and annual turnover is correct.
 2. Information regarding various technical qualifications is correct.
 3. Information regarding various relevant documents is correct and authentic.

Dated Signature with Seal of the Deponent (Bidder)

I/we, above deponent do hereby certify that the facts
mentioned in above are correct to the best of my knowledge and belief, nothing has been
concealed there in.

Dated Signature with Seal of the Deponent (Bidder)

*Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill
University, Haryana, Transit office: Plot No. 147, Sector 44, Gurugram (Haryana) on Technical
Presentation day/date.*



Annexure – XI

Affidavit regarding delisting/blacklisting, demobilization etc.

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an
Owner/Director/Proprietor of M/s.....

I/we _____ who is/are_____ (status in the
firm/company) and competent for submissions of the affidavit on behalf of
M/S_____ (Organization/Manufacturer/Authorized
Dealer/Distributors/Agent) do hereby solemnly affirm an oath and state that:

The firm/agency has not been black-listed/de-listed/debarred/demobilized for poor or
unsatisfactory performance from any project by Govt. of India/Any other State Govt./Haryana
Govt. or its Departments/agencies etc.

Dated

Signature with Seal of the Deponent (Bidder)

I/we,_____above deponent do hereby certify that the facts
mentioned in above are correct to the best of my knowledge and belief, nothing has been
concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

*Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma
Skill University, Haryana, Transit office: Plot No. 147, Sector 44, Gurugram (Haryana) on
Technical Presentation day/date.*



Annexure -XII

Affidavit regarding Terms and Conditions completion of supply and installation & commissioning of Machine/Lab Appliances etc. in running condition within stipulated time frame

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated..... for quoting against the Tender as an
Owner/Director/Proprietor of M/s.....

I/we _____ who is/are_____ (status in the
firm/company) and competent for submissions of the affidavit on behalf of
M/S_____ (Organization/Manufacturer/Authorized
Dealer/Distributors/Agent) do hereby solemnly affirm an oath and state that:

We further certify that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

I/We hereby declare that our firm shall abide to all the terms & conditions as enumerated in the Tender document and supply the Machine/Lab Appliances/items etc. as per Technical Specification and installation & commissioning of the Machine/Lab Appliances in respective lab(s) in working condition within the time frame as enumerated in the tender document.

I/we further declare that if any delay is found in delivery/installation or not fulfil the terms and conditions, not supply the Appliances/items as per Technical Specifications and the offer is not accepted fully by our firm(s) the Performance Security or EMD furnished as per the tender document is liable to be forfeited unconditionally and no objection of being blacklisted in these circumstances.

Dated _____ Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated _____ Signature with Seal of the Deponent (Bidder) *Note:*
Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, Haryana, Transit office: Plot No. 147, Sector 44, Gurugram (Haryana) on Technical Presentation day/date.



Annexure - XIII

Affidavit regarding Seeking benefits/concessions in Past Performance & Experience and Purchase Preference by Haryana based manufacturing Micro & Small Enterprises (MSEs)

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated for quoting against the Tender as an
owner/Director/Proprietor of M/s

I S/o.....aged residing at
..... Proprietor/Partner/Director of M/s.....
do hereby solemnly affirm and declare that: -

1. My/our above noted enterprise M/s (Name & Address) has been issue Manufacturing Entrepreneurs Memorandum in Haryana by the District Industries Centre under acknowledgement No..... of dated..... (Self-certified copy of the same is attached as Annexure 'A' with this affidavit) and has been issued for manufacture of the following items in Category Micro/Small Enterprise (Please tick the either) as under: -I.
.....
II.
III.
IV.
2. That the quoted item(s) in the tenderis all of the quoted items for which my/our above noted enterprise has been issued Manufacturing Entrepreneurs Memorandum by the Industry Department Haryana as per details at para 1 above.
3. That my/our above-mentioned manufacturing Micro/ Small Enterprise fulfils/meet all the remaining terms & conditions of the tender except turnover, past Performance & past Experience and fulfils either or both of the below mentioned eligibility criteria:
 - I. That my/our above-mentioned enterprise has been issued quality certification of ISI Mark/ISO/Ag. Mark/any other quality mark
(Please tick either of the option) by (name of GOI/ State Govt. Agency/institution authorized by GOI/ State Govt.) on and the same is valid from..... to.....in respect of item/good (give name of item/good)..... mentioned in the tender (Self Certified copy of the relevant certificate is attached as Annexure 'B' with this affidavit)
OR/AND
 - II. That my/our above-mentioned enterprises has been registered with DGS&D, GOI/NSIC/ Govt. of India Department/ State Govt. Department/Govt. of India Public Sector Undertaking (PSUs) or State Government Public Sector Undertakings

(PSUs) **(Please tick one of the option as above)** in respect of Name of Item/goods/work/Services (Name) as mentioned in the tender of the corresponding period of time of this tender. A self-certified copy of the same attached as Annexure 'C' with this affidavit.

4. That in case the purchase Order of the quoted item is issued to me/us, it shall not be outsourced or subcontracted to any other firm and the entire manufacturing of the order items shall be done in house by our Enterprise based in Haryana (address mentioned as at Sr. No. 1) Further, the billing shall be done from Haryana.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, Haryana, Transit office: Plot No. 147, Sector 44, Gurugram (Haryana) on Technical Presentation day/date.



Affidavit regarding Seeking benefits/ concessions in past performance & Experience and
Purchase Preference by Haryana based manufacturing Medium Enterprises

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for (Name of the Tender) dated for quoting against the Tender as an owner/Director/Proprietor of M/s

I S/o.....aged residing at Proprietor/Partner/Director of M/s..... do hereby solemnly affirm and declare that: -

1. My/our above noted enterprise M/s..... (Name & Address) has been issue Manufacturing Entrepreneurs Memorandum in Haryana by the District Industries Centre under acknowledgement No..... of dated..... (Self-certified copy of the same is attached as Annexure 'A' with this affidavit) and has been issued for manufacture of the following items in Category Medium Enterprise as under: -I.
.....
II.
III.
V.
2. That the quoted item(s) in the tenderis all of the quoted items for which my/our above noted enterprise has been issues Manufacturing Entrepreneurs Memorandum by the Industry Department Haryana as per details at para 1 above.
3. That my/our above-mentioned manufacturing Medium Enterprise meet all the remaining terms & conditions of the tender except past Performance & Past Experience.
4. That my first purchase order under this benefit/concession was issued by State Government Department/State Government Agency (name of Dept./Agency) vide P.O. No.of datedfor the supply of (name of the items/ good/ work/ services) was successfully complied by above mentioned Enterprises. A Self certified copy of the same is attached Annexure 'B' with this affidavit.
5. That in case the purchase Order of the quoted item is issued to me/us, it shall not be outsourced or subcontracted to any other firm and the entire manufacturing of the order item shall be done in house by our Enterprise based in Haryana (address mentioned as at Sr. No. 1). Further, the billing shall be done from Haryana.



6. That we agree to the condition that this benefit/ concession to the Medium Enterprises is Valid for one year from the date of getting the first supply order under State Public Procurement.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, Haryana, Transit office: Plot No. 147, Sector 44, Gurugram (Haryana) on Technical Presentation day/date.



Affidavit regarding Seeking benefits/ concessions in past performance & Experience
and Purchase Preference by Haryana based manufacturing/works/services
Startups/First Generation Entrepreneurs

||SPECIMEN AFFIDAVIT||

(On Non Judicial Stamp of Rs. 10/-)

In response to the Tender No. for
(Name of the Tender) dated for quoting against the Tender as an
owner/Director/Proprietor of M/s

I S/o.....aged residing at
..... Proprietor/Partner/Director of M/s.....
do hereby solemnly affirm and declare that: -

1. My/our above noted enterprise M/s (Name & Address) has
been issue Manufacturing Entrepreneurs Memorandum/Udyog Aadhaar
Memorandum in Haryana by the District Industries Centre.....under acknowledgement
No. of dated (Self-certified copy of the
same is attached as Annexure 'A' with this affidavit) and has been issued for manufacture of
the following items in Category Startups/First Generation Entrepreneurs (Please tick the
either) as under: -
 - I.
 - II.
 - III.
 - IV.
2. That the quoted item(s) in the tenderis all of the quoted items for which
my/our above noted enterprise has been issued Manufacturing Entrepreneurs Memorandum/
Udyog Aadhaar Memorandum by the Industry Department Haryana asper details at para 1
above.
3. That my/our above-mentioned manufacturing Startups/First Generation Entrepreneurs
Enterprises fulfils /meets all the remaining terms & conditions of the tender except turnover,
past Performance & past Experience and fulfils either or both of the below mentioned eligibility
criteria:
 - I. That my/our above-mentioned enterprise has been issued quality certification of ISI
Mark/ISO/Ag. Mark/any other quality mark
(Please tick either of the option) by (name of GOI/
State Govt. Agency/institution authorized by GOI/ State Govt.) on
..... and the same is valid from..... to.....in respect of
item/good (give name of item/good)..... mentioned in the tender (Self
Certified copy of the relevant certificate is attached as Annexure 'B' with this affidavit)

OR/AND

- II. That my/our above-mentioned enterprises has been registered with DGS&D, GOI/NSIC/ Govt. of India Department/ State Govt. Department/Govt. of India Public Sector Undertaking (PSUs) or State Government Public Sector Undertakings (PSUs) (Please tick one of the option as above) in respect of Name of Item/goods/work/Services (Name) as mentioned in the tender of the corresponding period of time of this tender. A self-certified copy of the same attached as Annexure 'C' with this affidavit.
4. That in case the purchase Order of the quoted item is issued to me/us, it shall not be outsourced or subcontracted to any other firm and the entire manufacturing of the order items shall be done in house by our Enterprise based in Haryana (address mentioned as at Sr. No. 1) Further, the billing shall be done from Haryana.

Dated

Signature with Seal of the Deponent (Bidder)

I/we, _____ above deponent do hereby certify that the facts mentioned in above are correct to the best of my knowledge and belief, nothing has been concealed there in.

Dated

Signature with Seal of the Deponent (Bidder)

Note: Affidavit duly notarized in original shall submit in the Office of Shri Vishwakarma Skill University, Haryana, Transit office: Plot No. 147, Sector 44, Gurugram (Haryana) on Technical Presentation day/date.

MODEL CLAUSE AND CERTIFICATE

Model Clauses for Tenders

- I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority i.e. Name of Authority.....
- II. “Bidder” (including the term ‘tenderer’, ‘consultant’, ‘Vendor’, ‘Supplier’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. “Bidder from a country which shares a land border with India” for the purpose of this order means: -
 - a. An entity incorporated, established or registered in such a country; or
 - b. A subsidiary of an entity incorporated, established or registered in such a country; or
 - c. An entity substantially controlled through entities incorporated, established or registered in such a country; or
 - d. An entity whose beneficial owner is situated in such a country; or
 - e. An Indian (or other) agent of such an entity; or
 - f. A natural person who is a citizen of such a country; or
 - g. A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- IV. The beneficial owner for the purpose of (iii) above shall be as under:
 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means.
Explanation-
 - a. “Controlling ownership interest” means ownership of or entitlement to more than twenty-five percent of shares or capital or profits of the company;
 - b. “Control” shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
 2. In case of a partnership firm, the beneficial owner is the natural persons(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen

- percent of the property or capital or profits of such association or body of individual;
4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. The successful bidder shall not be allowed to sub-contract works to any contractor or product origin from a country which shares a land border with India unless such contractor/manufacturer is registered with the Competent Authority.

Validity Registration:

In respect of tenders, registration should be valid at the time of submission of bids and at the time of acceptance of bids. In respect of supply otherwise than by tender, registration should be valid at the time of placement of order. If the bidder was validly registered at the time of acceptance of order, registration shall not be relevant consideration during contract execution.

Model Certificate for Tenders

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

Model Certificate for Tenders for Works involving possibility of Sub-contracting "I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I certify that this bidder is not from such a country or, if from such a country, has been registered with the Competent Authority and shall not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. I hereby certify that this bidder fulfills all requirements in this regard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

ANNEXURE – XVII

(AN AGREEMENT BETWEEN SHRI VISHWAKARMA SKILL UNIVERSITY AND THE SUPPLIER) *

Shri Vishwakarma Skill University (SVSU), Enacted under Government of Haryana Act No.25 of 2016 having its transit office at Plot No-147, Sector-44, Gurugram, Haryana represented through its Authorized Signatory (Name of Officer), (Designation of Officer) (which expression shall unless repugnant to the context or meaning thereof includes its successors and assigns) hereinafter referred to as SVSU or Owner or the First Party.

And

Firm Name..... having its office at, through its authorized signatory..... (Name & Post), (which expression shall unless repugnant to the context or meaning thereof includes its successors and assigns) hereinafter referred to as execution Manufacturers/Authorized Dealers/ Distributors/Agent or the Second Party.

Whereas SVSU has invited Tender No.....for (Name of the Tender) dated and M/s..... (Firm Name) submitted its proposal in this regard. SVSU after considering its negotiation offer has decided to engage (Firm Name) as executing agency for Tender No.....for (Name of the Tender) dated

Firm Name... (execution Agency) is hereby agreed to take the Tender No. for (Name of the Tender) at the quoted negotiation rates, terms and conditions contained in the TENDER, Work Order/Purchase Order and duly communications of the above said work.

Now, therefore, in consideration of the mutual covenants herein contained, it is hereby agreed between the parties as follows: -

The agreement shall come into force immediately after signing of this agreement by both the parties and shall remain valid until the final completion of the job inclusive of warranty period or cancelled earlier by the Shri Vishwakarma Skill University, Haryana as per the time schedule prescribed in the tender document.

All the terms and conditions and Technical specifications contained in the Tender No. for (Name of the Tender) dated shall be the part of this agreement.



Firm Name..... (execution Agency) hereby declare that I/we shall remain bound and abide by the rates, terms and conditions and technical specifications of the aforesaid as well as TENDER, Work Order/Purchase Order and due communications of the above said work.

In Witness Whereof, the parties here to have caused this agreement to be signed in their respective names as of this day and year first above written.

Signed by

First Party: SVSU, Gurugram
Signature with seal
Date & Place

Second Party:
Signature with seal
Date & Place

In presence of (Witnesses)

1.

1.

2.

2.

*Note-This Contract is to be Signed on Rs. 100/- Non Judicial Stamp paper within 15 days after receiving of LOA/LOI by the bidder/supplier from buyer.